

SR8 Code: SROTSR8

ACCESSORIES



SR6 Code: SROTSR6

ACCESSORIES



SRB6 Code: SROTSRB6

ACCESSORIES



MAIN FEATURES



Ideal to keep your workshop tidy



Easy loading/unloading of hose coils

SR8 SR6



Easy winding of hose reels

SRB6



Provided with mobile supports

SR8 SR6

TECHNICAL DATA			
	SR8	SR6	SRB6
MAX LOADING	3792 Lbs	1450 Lbs	2650 Lbs
ONE ARM LOADING	473 Lbs	240 Lbs	352 Lbs
HOSE HOLDER Ø	39.3"	29.5"	-
WEIGHT	474 Lbs	198 Lbs	240 Lbs
MAX. VOLUME LxWxH	LxH 93.5"x85.6"	41.7"x41.7"x77.9"	62.9"x62.9"x90.5"



SRB6/1 Code: SROTSRB6/1

ACCESSORIES



HOSE CARRIER Code: PORTATUBO

ACCESSORIES



HOSE CARRIER 2 Code: PORTATUBO2

ACCESSORIES



MAIN FEATURES



Ideal to keep your workshop tidy



Easy winding of hose reels

SRB6/1



Equipped with wheels

PORTATUBO PORTATUBO2



Provided with mobile shelf with adjustable height

PORTATUBO2



Provided with mobile supports

SRB6/1

TECHNICAL DATA			
	SRB6/1	HOSE CARRIER - PORTATUBO	HOSE CARRIER 2 - PORTATUBO 2
MAX LOADING	2844 Lbs	1323 Lbs	1543 Lbs
ONE ARM LOADING	474 Lbs	330 Lbs	-
WEIGHT	377 Lbs	198 Lbs	209 Lbs
DIMENSIONS LXWXH	LxH 93.3"x79.1"	36.1"x51.1"x79.5"	59.1″x27.1″x56.7″



ACCESSORIES



AV01 EL Code: SROTAV01EL

ACCESSORIES



MAIN FEATURES



Manually operated

AV01





Electric feeding

AV01 EL


TECHNICAL DATA			
	AV01	AV01 EL	
MAX LOADING	530 Lbs	530 Lbs	
HOSE HOLDER Ø	39.3" - 59"	39.3" - 59"	
STANDARD VOLTAGE	-	Any 60HZ 3PH	
MOTOR POWER	-	0.67 - 0.36 Kw (0.9-0.5 Hp)	
ROTATION SPEED (rpm)	-	7-14	
WEIGHT	132 Lbs	198 Lbs	
DIMENSIONS LXWXH	59"x59"x54.4"	59"x59"x54.4"	

ACCESSORIES			
		AV01	AV01 EL
ROLLER CENTERING DEVICE		•	•
REEL CENTERING DEVICE		•	•
ADJUSTABLE HOSE LOCKER (INCLUDED)		•	•
REMOVABLE SPACERS (INCLUDED)		•	•
ELECTRIC PEDAL (INCLUDED)	> 0		•



AV01V Code: SROTAV01V

ACCESSORIES



AV02 EL Code: SROTAV02EL

ACCESSORIES



MAIN FEATURES



Manually operated

AV01V



Electric feeding

AV02 EL



Adjustable supports which adapt to the hose diameter

AV02 EL

TECHNICAL DATA			
	AV01V	AV02 EL	
MAX LOADING	530 Lbs	1102 Lbs	
HOSE	-	2" 1/2	
HOSE HOLDER Ø	41.7"	77.1″	
STANDARD VOLTAGE	-	Any 60HZ 3PH	
MOTOR POWER	-	4 Kw (5 Hp)	
ROTATION SPEED (rpm)	-	0-50	
CONTINUOUS MOTORISED ADJUSTMENT OF THE HOSE SUPPORT ANGLE	-	0° - 90°	
0 - 90° ANGULAR INCLINATION OF SPEED	-	5.5 sec.	
WEIGHT WITHOUT OIL	317 Lbs	1091 Lbs	
DIMENSIONS LXWXH	43.3"x39.3"x45.4"	80.7"x80.7"x82.2"	
OIL (NOT INCLUDED)	-	6 Lt. (1.5 US gal)	

INCLUDED ACCESSORIES		
	AV01V	AV02 EL
MECHANICAL BRAKE WITH LOCKING HANDWHEEL		-
ADJUSTABLE HOSE LOCKER		
MANUAL ROTATION OPTION DISCONNECTING THE MOTOR		•
LOWER SLIDING HOSE ROLLERS		•
COIL ANTI-DROP SYSTEM		•
MANUAL ADJUSTMENT OF THE COIL CENTERING PINS		•
ELECTRIC TILT REGULATION		•
OPTIONAL		
REEL CENTERING DEVICE		