


TARAUDS HSSE-V3 HSSE-V3 TAPS



VALUETOOL
20.2020






Tarauds machines HSSE-V3 pour trous débouchants, cannelure droite, filetage métrique norme DIN-13.
HSSE-V3 machine taps for through holes, straight flute, metric thread ISO DIN-13 standard.

- UNI**
- ACIER**
STEEL
< 1000 N/mm²
- ACIER INOXYDABLE**
STAINLESS STEEL
- MÉTAUX NON-FERREUX**
NON-FERROUS METAL
- PLASTIQUE**
PLASTIC



M3-M10
DIN 371

M12-M20
DIN 376

HSSE V3	DIN 371 376
M	ISO 2 6H
	3,5-6-P FORME B
	TARAUD HAUT RENDEMENT HIGH EFFICIENT TAP
	VAPORISÉ VAPORIZED
	

ITEM ITEM	M	P	L1	L2	D2	K	Z	Ø
20.2020.03	• M 3	0,50	56	9	3,5	2,7	3	2,5
20.2020.04	• M 4	0,70	63	12	4,5	3,4	3	3,3
20.2020.05	• M 5	0,80	70	13	6,0	4,9	3	4,2
20.2020.06	• M 6	1,00	80	15	6,0	4,9	3	5,0
20.2020.08	• M 8	1,25	90	18	8,0	6,2	3	6,8
20.2020.10	• M 10	1,50	100	20	10,0	8,0	3	8,5
20.2020.12	• M 12	1,75	110	23	9,0	7,0	3	10,2
20.2020.14	• M 14	2,00	110	25	11,0	9,0	3	12,0
20.2020.16	• M 16	2,00	110	25	12,0	9,0	3	14,0
20.2020.20	• M 20	2,50	140	30	16,0	12,0	3	17,5

VALUETOOL
20.2050






Tarauds machines HSSE-V3 pour trous borgnes, spirale, filetage métrique norme standard DIN 13.
HSSE-V3 machine taps for blind holes, spiral, ISO metric threads standard DIN 13.

- UNI**
- ACIER**
STEEL
< 1000 N/mm²
- ACIER INOXYDABLE**
STAINLESS STEEL
- MÉTAUX NON-FERREUX**
NON-FERROUS METAL
- PLASTIQUE**
PLASTIC



M3-M10
DIN 371

M12-M20
DIN 376


HSSE V3	DIN 371 376
M	ISO 2 6H
	2,3 x P FORME C
	TARAUD HAUT RENDEMENT HIGH EFFICIENT TAP
	VAPORISÉ VAPORIZED
	

ITEM ITEM	M	P	L1	L2	D2	K	Z	Ø
20.2050.03	• M 3	0,50	56	5	3,5	2,7	3	2,5
20.2050.04	• M 4	0,70	63	7	4,5	3,4	3	3,3
20.2050.05	• M 5	0,80	70	8	6,0	4,9	3	4,2
20.2050.06	• M 6	1,00	80	10	6,0	4,9	3	5,0
20.2050.08	• M 8	1,25	90	13	8,0	6,2	3	6,8
20.2050.10	• M 10	1,50	100	15	10,0	8,0	3	8,5
20.2050.12	• M 12	1,75	110	18	9,0	7,0	3	10,2
20.2050.14	• M 14	2,00	110	20	11,0	9,0	3	12,0
20.2050.16	• M 16	2,00	110	20	12,0	9,0	3	14,0
20.2050.20	• M 20	2,50	140	25	16,0	12,0	3	17,5

VALUETOOL
20.2320

Tarauds machines HSSE-V3 pour trous débouchants, à cannelures droites, filetage unifié américain selon ANSI B1.1
HSSE-V3 machine taps for through holes, straight fluted, American unified thread according to ANSI B1

- UNI
- ACIER
STEEL
< 1000 N/mm²
- ACIER
INOXYDABLE
STAINLESS STEEL
- MÉTAUX
NON-FERREUX
NON-FERROUS
METAL
- PLASTIQUE
PLASTIC



UNC No 4 - UNC 3/8"
≈ DIN 371

UNC 7/16" - UNC 1"
≈ DIN 371

HSSE V3	DIN ≈371 ≈376
UNC	2B
	4,5-P FORME B
	TARAUD HAUT RENDEMENT HIGH EFFICIENT TAP
	VAPORISÉ VAPORIZED

ITEM ITEM	UNC	P	L1	L2	D2	K	Ø
20.2320.04	• No 4	40	50	9	3,5	2,7	#43
20.2320.06	• No 6	32	56	11	4,0	3,0	#36
20.2320.08	• No 8	32	63	12	4,5	3,4	#29
20.2320.10	• No 10	24	70	13	6,0	4,9	#25
20.2320.12	• No 12	24	70	15	6,0	4,9	#17
20.2320.1/4	• 1/4"	20	80	15	7,0	5,5	#7
20.2320.5/16	• 5/16"	18	90	18	8,0	6,2	F
20.2320.3/8	• 3/8"	16	100	20	9,0	7,0	5/16"
20.2320.7/16	• 7/16"	14	100	20	8,0	6,2	U
20.2320.1/2	• 1/2"	13	110	23	9,0	7,0	27/64"
20.2320.9/16	• 9/16"	12	110	25	11,0	9,0	31/64"
20.2320.5/8	• 5/8"	11	110	25	12,0	9,0	17/32"
20.2320.3/4	• 3/4"	10	125	30	14,0	11,0	21/32"
20.2320.7/8	• 7/8"	9	140	30	18,0	14,5	49/64"
20.2320.1	• 1"	8	160	36	20,0	16,0	7/8"

VALUETOOL
20.2324

Tarauds machines HSSE-V3 pour trous borgnes, spirale, filetage grossier unifié américain selon ANSI B1.1
HSSE-V3 machine taps for blind holes, spiral, American unified coarse thread according to ANSI B1.1

- UNI
- ACIER
STEEL
< 1000 N/mm²
- ACIER
INOXYDABLE
STAINLESS STEEL
- MÉTAUX
NON-FERREUX
NON-FERROUS
METAL
- PLASTIQUE
PLASTIC



UNC No 4 - UNC 3/8"
≈ DIN 371

UNC 7/16" - UNC 1"
≈ DIN376

HSSE V3	DIN ≈371 ≈376
UNC	2B
	2-3 x P FORME C
	TARAUD HAUT RENDEMENT HIGH EFFICIENT TAP
	VAPORISÉ VAPORIZED

ITEM ITEM	UNC	P	L1	L2	D2	K	Ø
20.2324.04	• No 4	40	50	5	3,5	2,7	#43
20.2324.06	• No 6	32	56	7	4,0	3,0	#36
20.2324.08	• No 8	32	63	7	4,5	3,4	#29
20.2324.10	• No 10	24	70	8	6,0	4,9	#25
20.2324.12	• No 12	24	70	10	6,0	4,9	#17
20.2324.1/4	• 1/4"	20	80	10	7,0	5,5	#7
20.2324.5/16	• 5/16"	18	90	13	8,0	6,2	F
20.2324.3/8	• 3/8"	16	100	15	9,0	7,0	5/16"
20.2324.7/16	• 7/16"	14	100	18	8,0	6,2	U
20.2324.1/2	• 1/2"	13	110	20	9,0	7,0	27/64"
20.2324.9/16	• 9/16"	12	110	20	11,0	9,0	31/64"
20.2324.5/8	• 5/8"	11	110	20	12,0	9,0	17/32"
20.2324.3/4	• 3/4"	10	125	25	14,0	11,0	21/32"
20.2324.7/8	• 7/8"	9	140	25	18,0	14,5	49/64"
20.2324.1	• 1"	8	160	30	20,0	16,0	7/8"

VALUETOOL 20.2340

Tarands machines HSSE-V3 pour trous débouchants, cannelure droite, filetage fin unifié américain selon ANSI B1.1
 HSSE-V3 machine taps for through holes, straight flute, unified American fine thread according to ANSI B1.1

- UNI
- ACIER
STEEL
< 1000 N/mm²
- ACIER
INOXYDABLE
STAINLESS STEEL
- MÉTAUX
NON-FERREUX
NON-FERROUS
METAL
- PLASTIQUE
PLASTIC



UNF No 4 - UNF 3/8"
≈ DIN 371

UNF 7/16" - UNF 1"
≈ DIN 376

HSSE V3	DIN ≈371 ≈376
UNF	2B
	4,5-P FORME B
	TARAUD HAUT RENDEMENT HIGH EFFICIENT TAP
	VAPORISÉ VAPORIZED

ITEM ITEM	UNF	P	L1	L2	D2	K	Ø
20.2340.04	• No 4	48	50	9	3,5	6	#42
20.2340.06	• No 6	40	56	11	4,0	7	#33
20.2340.08	• No 8	36	63	12	4,5	8	#29
20.2340.10	• No 10	32	70	13	6,0	10	#21
20.2340.12	• No 12	28	70	15	6,0	10	#15
20.2340.1/4	• 1/4"	28	80	15	7,0	10	#3
20.2340.5/16	• 5/16"	24	90	18	8,0	10	I
20.2340.3/8	• 3/8"	24	100	20	9,0	10	Q
20.2340.7/16	• 7/16"	20	100	20	8,0	13	W
20.2340.1/2	• 1/2"	20	100	21	9,0	13	29/64"
20.2340.9/16	• 9/16"	18	100	21	11,0	15	33/64"
20.2340.5/8	• 5/8"	18	100	21	12,0	15	37/64"
20.2340.3/4	• 3/4"	16	110	24	14,0	17	11/16"
20.2340.7/8	• 7/8"	14	140	24	18,0	17	13/16"
20.2340.1	• 1"	12	150	26	20,0	20	59/64"

VALUETOOL 20.2344

Tarands machines HSSE-V3 pour trous borgnes, spirale, filetage fin unifié américain selon ANSI B1.1
 HSSE-V3 machine taps for blind holes, spiral, unified American fine thread according to ANSI B1.1

- UNI
- ACIER
STEEL
< 1000 N/mm²
- ACIER
INOXYDABLE
STAINLESS STEEL
- MÉTAUX
NON-FERREUX
NON-FERROUS
METAL
- PLASTIQUE
PLASTIC



UNF No 4 - UNF 3/8"
≈ DIN 371

UNF 7/16" - UNF 1"
≈ DIN 376

HSSE V3	DIN ≈371 ≈376
UNF	2B
	2,3 x P FORME C
	TARAUD HAUT RENDEMENT HIGH EFFICIENT TAP
	VAPORISÉ VAPORIZED

ITEM ITEM	UNF	P	L1	L2	D2	K	Ø
20.2344.04	• No 4	48	50	5	3,5	6	#42
20.2344.06	• No 6	40	56	7	4,0	7	#33
20.2344.08	• No 8	36	63	7	4,5	8	#29
20.2344.10	• No 10	32	70	8	6,0	10	#21
20.2344.12	• No 12	28	70	10	6,0	10	#15
20.2344.1/4	• 1/4"	28	80	10	7,0	10	#3
20.2344.5/16	• 5/16"	24	90	13	8,0	10	I
20.2344.3/8	• 3/8"	24	100	15	9,0	10	Q
20.2344.7/16	• 7/16"	20	100	15	8,0	13	W
20.2344.1/2	• 1/2"	20	100	14	9,0	13	29/64"
20.2344.9/16	• 9/16"	18	100	16	11,0	15	33/64"
20.2344.5/8	• 5/8"	18	100	16	12,0	15	37/64"
20.2344.3/4	• 3/4"	16	110	20	14,0	17	11/16"
20.2344.7/8	• 7/8"	14	140	20	18,0	17	13/16"
20.2344.1	• 1"	12	150	22	20,0	20	59/64"