

Controllable versatility on 4 CNC axis

This machine is equipped with a high performance industrial PC with touchscreen and digital jogwheel. This PC controls two linear and a rotary axis simultaneously. The geometry of grinding is flexibly programmable by G-code.

- ✓ SK 40 support for ER collets
- ✓ for cutters up to Ø 150 mm, cutter grinding of spiral and face as well as chip space
- ✓ built on solid IPC-basis, freely programmable by G-code
- ✓ based on Linux software
- ✓ integrated electronic jogwheel



TECHNICAL DATA

Grinding motor:	230 V, 50 / 60 Hz, 0,70 kW, 2850 rpm ⁻¹
Grinding range cutter:	max. Ø 150 mm
Support of rotary axis:	SK 40
CNC-axis:	4 ; X Y Z A
Weight net:	300 kg
Weight control unit:	37 kg
Dim (L x W x H):	1200 x 930 x 1780 mm

BASIC VERSION

- Touchscreen-control
- Cup wheel optional as CBN or diamond Ø 125 mm B76 or D76
- Grinding wheel dresser
- Jogwheel integrated in the control unit
- Pump cooling
- ready made CNC-programms
- 5Mpix camera system with holder and software package for Windows and Mac
- Support SK40+ Ø 10 mm ER collet





Item No. 18305 High frequency spindle and internal grinding device
6000-24000 RPM, 0,8 kW,
incl. frequency transformer with wiring set,
ER11collets 3+6 mm



Item No. 18051 FSM-CNC saw blade sharpening option
Ø 100 - 450 mm
Content: horizontal round axis, 2 clamping flanges, spacer rings,
diamond grinding wheel D 76, support ER32, magnetic clamping,
USB stick with several programs

Item No. 18782 FSM-program suite
(48 programs) for HSS hacksaw blades with tooth shape T3-T18 DIN1838
incl. 2 CBN grinding wheels D=75+125 mm incl. grinding wheel support
provided that: FSM-CNC option saw blades item No. 18051 is present.



Item No. 18440 Option: 3D-edge finder for FSM-CNC



CBN cup grinding wheel
Item No. 17304 CBN Ø 125 mm, B126
Item No. 17303 CBN Ø 125 mm, B76
Diamond cup grinding wheel
Item No. 17306 Ø 125 mm, D126
Item No. 17305 Ø 125 mm, D76

CBN cup grinding wheel
Item No. 18293 CBN Ø 100 mm, B126
Item No. 18292 CBN Ø 100 mm, B76
Diamond cup grinding wheel
Item No. 18295 Ø 100 mm, D126
Item No. 18294 Ø 100 mm, D76



CBN circumference grinding wheel
Item No. 18297 CBN Ø 125 mm, B126
Item No. 18296 CBN Ø 125 mm, B76
Diamond circumference grinding wheel
Item No. 18299 Ø 125 mm, D126
Item No. 18298 Ø 125 mm, D76


Item No. 18304 PCD-dressing device



Item No. 18658 Grinding wheel fixture



UNIVERSAL



Item No. 19119 Special-Grinding wheel fixture „Twin“



Item No. 16050 Precision grinding head ER32
with indexing, 19 mm chuck and laser adjustment



Item No. 15857 Silicon carbide dresser wheel



Item No. 15856 Diamond dresser wheel
D 356



Item No. 15855 Cleaning- and sharpening stone
for diamond grinding wheels



Item No. 17675 Chuck set ER32
18 pcs. 3,0 - 20,0 mm, premium quality, 5 μ class, in wooden box



Item No. 19745 Filter device
for cooling liquid

- Item No. 18234** Cutgrip Gr. 9 (M)
Item No. 18235 Cutgrip Gr. 10 (L)
Item No. 18236 Cutgrip Gr. 11 (XL)
Item No. 18237 Cutgrip Gr. 12 (XXL)

Item No. 15916 Transport casters 1 set
(4 pcs.)

