

PLAS Hand-Over-Hand Rotary Pipe Cutters



PLASOH

FEATURES

- Excellent for cutting PVC or PE pipe in-trench or above ground.
- Attached handles permit fast hand-turning – about half the cutting time of a regular PLAS cutter.
- Leaves a disposable remnant (not dust or chips) that is easy to recycle.
- With PVC models, simultaneously cut and bevel PVC using cut-off blade and bevel blade.
- Simple to transport and fast to use on PE and PVC.

Catalog No.	Item Code	Pipe Capacity		Sections Used	Application*	Weight	
		in-nom.	actual O.D. mm			lbs	kg
Δ PLASOH	04463	4 - 8	106 - 240	E (2)	PVC SCH. 40, PVC C900 & C905	21	9.6
Δ PLASOHPE	04464	4 - 8	106 - 240	E (2)	PE, HDPE	21	9.6
Δ PLASOH12PE	04468	4 - 12	106 - 335	E (2), B (1)	PE, HDPE	52	23.6
Δ PLASOH12	04469	4 - 12	106 - 335	E (2), B (1)	PVC SCH. 40, PVC C900 & C905	52	23.6




***Specific Limitations for PE:**
 up to 14" pipe (355 mm) - 2" (51 mm) wall thickness
 up to 18" pipe (500 mm) - 1 1/2" (38 mm) wall thickness
 up to 28" pipe (800 mm) - 1" (25.4 mm) wall thickness
Applies to ALL PLAS models

PLASOHPE with FPV20 vise



PLASOH using PLASPVCB blade



PLASOH Hand-Over-Hand in use

