

Ever had the wrong screwdriver or bit on hand?

Wera's Kompakt tools are suitable for both types of screwdriving process – by hand or power tool. Often the type of operation only becomes apparent on the site. The compact design of the handle/interchangeable blade system, with various tips makes users mobile and flexible with a minimum amount of space being taken up.



The sets come with a Kraftform handle, quick-release chuck and bits for **manual and power tool operations.**



The handle/interchangeable blade system permits **rapid exchange** of the blades needed for a wide range of applications.



The tools can be stored and carried either in a solid plastic case or a robust belt pouch. In this way the right tool is **always on hand.**

Kraftform Kompakt Zyklus

Screwdriving, with ratchet function, in a compact format



The sets in the series Kraftform Kompakt 20 are really something. A 2 position **telescopic blade** can be retracted into the handle for confined space operation or extended for more reach. It can also be removed and used as a 100mm bit holder in the power tool. Six bits are conveniently **integrated into a push-button opening bit magazine**. The **Rapidaptor** technology ensures rapid one hand bit changes, press-in auto bit lock and a secure positioning when used in power tools thanks to the free-turning sleeve.

Kraftform Kompakt Zyklus

The **ratchet head pivots freely** and can be **locked into any position** by using the slide switch that is positioned on either side. It is even possible to work in very confined and difficult-to-access areas with enhanced hand clearance. The predefined locking at 0°, 15° and 90°, both to the right and left, ensure **safe working without any slipping of the ratchet head**.

The ratchet can be used as a conventional **screwdriver** in the 0° position by attaching a unique bit-holding adaptor and a bit.



Kraftform Kompakt
and VDE



The Zyklus ratchets are **really fast movers**. The rotating mass design means that screwdriving is accelerated. The rotation-symmetric structure of the Kraftform handle and the free-turning sleeve reinforce this rapid twisting process, particularly when the ratchet does not engage due to too little resistance in the thread.

The reversible ratchet with 72 fine-pitched teeth has a **low return angle of only 5°**. This short stroke allows fast and precise work in all types of installation.

All Zyklus ratchets feature a thumbwheel that can be used to **quickly and easily switch between clockwise and anticlockwise rotation**, at any position. No complicated handling, no loss of time!




Kraftform Kompakt

Tools with a gearless drive feature


The Kraftform ratchet screwdriver with a pistol-grip handle is the right tool for single-handed or reversible operations and can be combined with all conventional bits in accordance with C 6.3 and E 6.3.

Tools with a gearless drive feature permit **rapid screwdriving** without any hand repositioning. The pistol-grip handle allows real power to be applied direct to the screw. It fits securely and comfortably in the hand and has the best possible position to the screw.

The exact positioning, the simple application and the high power transfer mean that work is done in an ergonomically correct way.



The minimal return angle enhances working speeds and permits applications in very confined assembly situations.



The axial alignment with the screw prevents any slipping.



Bitholders
An extensive range.

Kraftform Kompakt Zyklus

Ratchet and screwdriver in a compact design

Kraftform Kompakt Zyklus



NEW

26-piece set in a belt pouch
 1 Zyklus ratchet with 1/4" drive, 7 Zyklus sockets (metric), 1 Zyklus extension (long) with free-turning sleeve, 1 adaptor, 16 bits of 50 mm in length

Code	Icon	Description	Quantity
05051045002	⊙	8000 A 1 x 1/4"x152.0	1
	⊖	800/4 Z 1 x 1.0x5.5x50	
	⊙	840/4 Z 1 x 3.0x50; 1 x 4.0x50; 1 x 5.0x50; Hex-Plus 1 x 6.0x50	
	⊕	851/4 TZ PH 1 x PH 1x50; 1 x PH 2x50; 1 x PH 3x50	
	⊕	855/4 TZ PZ 1 x PZ 1x50; 1 x PZ 2x50	
	⊕	867/4 Z TORX® 1 x TX 10x50; 1 x TX 15x50; 1 x TX 20x50; 1 x TX 25x50; 1 x TX 27x50; 1 x TX 30x50	
	⊙	8784 A1 1 x 1/4"x1/4"x37.0	
	⊙	8790 HMA 1 x 5.5x23.0; 1 x 6.0x23.0; 1 x 7.0x23.0; 1 x 8.0x23.0; 1 x 10.0x23.0; 1 x 12.0x23.0; 1 x 13.0x23.0	
	⊙	8794 LA 1 x 1/4"x150.0	




How to work quickly when there is too little resistance in the thread



Everyone knows the problem of when there is insufficient resistance on the thread to engage the ratchet on the return stroke, and it becomes irritating and time-consuming to fix. The Zyklus ratchets are really fast movers - their gyrating mass design means that

screwdriving is accelerated. The free-turning sleeve and the rotation-symmetric structure of the Kraftform handle reinforce this rapid twisting process.

Kraftform Kompakt
and VDE



Kraftform Kompakt 10 and 11

There is no screwdriver set that is more compact

Kraftform Kompakt 10



10-piece set
1 bitholding screwdriver 813 R Kraftform with quick-release chuck Rapidaptor

Code	Icon	Part Number	Specifications	Quantity
05056653003	●	813 R	1 x 1/4"x90	1
	●	800/1 TZ	1 x 0.5x4.0x25; 1 x 1.0x5.5x25	
	⊕	851/1 TZ PH	1 x PH 1x25; 1 x PH 2x25	
	⊕	855/1 TZ PZ	1 x PZ 1x25; 1 x PZ 2x25	
	⊗	867/1 TZ TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25	


Kraftform Kompakt 11



10-piece set
1 bitholding screwdriver 813 R Kraftform with quick-release chuck Rapidaptor

Code	Icon	Part Number	Specifications	Quantity
05056652004	●	813 R	1 x 1/4"x90	1
	●	800/1 Z	1 x 0.5x3.0x25	
	⊕	851/1 TZ PH	1 x PH 1x25	
	⊕	851/1 Z PH	1 x PH 0x25	
	⊗	867/1 TZ TORX®	1 x TX 5x25; 1 x TX 6x25; 1 x TX 7x25; 1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25	

Rapidaptor



Rapid-in and self-lock

The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.



Rapid-out

Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.



Chuck-all

The Rapidaptor quick-release chucks hold 1/4" DIN 3126-C 6.3 and E 6.3 as well as Wera series 1 and 4 bits.




Single-hand function

Every function of the Rapidaptor quick-release chuck, such as inserting or releasing bits, can be carried out with one hand. This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.

Kraftform Kompakt 20, 25, 26, 28

Bayonet blade models


Kraftform Kompakt 20 with pouch



- Application:** Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon socket insert bits and Wera Series 1 and 4
- Design:** Attachment, bayonet, Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology
- Handle:** Kraftform with non-roll feature, multi-component, integrated magazine

Code	Icon	Part Number	Dimensions	Quantity
05051021006	⊙	889/4 R	1 x 1/4"x100	1
	⊖	800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	⊕	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25	

Kraftform Kompakt 25 with pouch



- Application:** Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon socket insert bits and Wera Series 1 and 4
- Design:** Attachment, bayonet, Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology
- Handle:** Kraftform with non-roll feature, multi-component, integrated magazine

Code	Icon	Part Number	Dimensions	Quantity
05051024002	⊙	889/4 R	1 x 1/4"x100	1
	⊖	800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	

"Bayonet" Blade

When the unique "bayonet" blade is lowered into the handle, fast, easy screw-driving action is possible, even in the tightest spots!

By pushing the clamping sleeve, the bayonet blade can be extended out of the handle and the compact tool becomes a full-sized screwdriver.

If the clamping sleeve is pushed again the bayonet blade can be taken out of the handle, and be used as a machine bit adaptor.




Kraftform Kompakt
and VDE

Kraftform Kompakt 20, 25, 26, 28

Bayonet blade models

Kraftform Kompakt 26 with pouch



Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon socket insert bits and Wera Series 1 and 4

Design: Attachment, bayonet, Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology

Handle: Kraftform with non-roll feature, multi-component, integrated magazine

Code			
05051025002	● 889/4 R	1 x 1/4"x100	1
	● 800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	⊕ 851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	○ 868/1 Z	1 x # 1x25; 1 x # 2x25	

Kraftform Kompakt 20 with ratchet function. See page 182.



Kraftform Kompakt Imperial 28 SB



Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon socket insert bits and Wera Series 1

Design: Attachment, bayonet, with stainless steel sleeve, retaining ring, and strong permanent magnet

Handle: Kraftform with non-roll feature, multi-component, integrated magazine

Code			
05073667002	● 800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25	1
	⊕ 851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	

Kraftform Kompakt 40, 42, 43

Bits of 89 mm in length

Kraftform Kompakt 40



Pouch with 89 mm bits
7-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05059298004	● 816 R	1 x 1/4"x119	1
	● 800/4 Z	1 x 1.0x5.5x89; 1 x 1.2x6.5x89	
	⊕ 851/4 Z PH	1 x PH 1x89; 1 x PH 2x89	
	⊕ 855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89	

Kraftform Kompakt 43



Pouch with 89 mm bits
11-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
0534711002	● 816 R	1 x 1/4"x119	1
	⊕ 851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89	
	⊕ 867/4 Z TORX® BO	1 x TX 15x89; 1 x TX 20x89; 1 x TX 25x89; 1 x TX 30x89	
	○ 868/4 Square-Plus	1 x # 1x89; 1 x # 2x89; 1 x # 3x89	


Kraftform Kompakt 42



Pouch with 89 mm bits
7-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05347111002	● 816 R	1 x 1/4"x119	1
	● 800/4 Z	1 x 1.0x5.5x89; 1 x 1.2x6.5x89	
	⊕ 851/4 Z PH	1 x PH 1x89; 1 x PH 2x89	
	○ 868/4 Square-Plus	1 x # 1x89; 1 x # 2x89	

Extra Long



Pouches with bitholding screwdriver and 89 mm long bits.

Kraftform Kompakt and VDE

Kraftform Kompakt 50

Bayonet blade models

Kraftform Kompakt 50, imperial



14-piece set
 1 bitholding screwdriver with bayonet 817 R Kraftform with quick-release chuck Rapidaptor

Code	Icon	Model	Specifications	Quantity
05135951002	●	817 R	1 x 1/4"x133	1
	●○	889/4 R	1 x 1/4"x100	
	●	800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25	
	⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	⊕	867/1 Z TORX® B0	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	
	○	868/1 Z	1 x # 1x25; 1 x # 2x25	

"Bayonet" Blade

When the unique "bayonet" blade is lowered into the handle, fast, easy screw-driving action is possible, even in the tightest spots!

By pushing the clamping sleeve, the bayonet blade can be extended out of the handle and the compact tool becomes a full-sized screwdriver.

If the clamping sleeve is pushed again the bayonet blade can be taken out of the handle, and be used as a machine bit adaptor.



Kraftform Kompakt 60, 61, 62

Bits of 89 mm in length

Kraftform Kompakt 60

Hex-Plus



Pouch with 89 mm bits
17-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code	Icon	Item	Quantity
05059295005	●	816 R	1 x 1/4"x119
	●	800/4 Z	1 x 1.0x5.5x89
	○	840/4 Z	1 x 3.0x89; 1 x 4.0x89;
		Hex-Plus	1 x 5.0x89; 1 x 6.0x89
	⊕	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89
	⊕	855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89
	⊕	867/4 Z	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89;
		TORX® BO	1 x TX 25x89; 1 x TX 30x89

Kraftform Kompakt 61



Pouch with 89 mm bits
17-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code	Icon	Item	Quantity
05059296003	●	816 R	1 x 1/4"x119
	●	857/4 Z	1 x 4x89; 1 x 6x89; 1 x 8x89; 1 x 10x89
		Spanner	
	⊕	867/4 Z	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89;
		TORX® BO	1 x TX 25x89; 1 x TX 30x89
	⊕	871/4 TORQ-SET® Mplus	1 x 6x89; 1 x 8x89; 1 x 10x89
	⊕	875/4 TRI-WING®	1 x 1x89; 1 x 2x89; 1 x 3x89; 1 x 4x89

Kraftform Kompakt 60, imperial

Hex-Plus



Pouch with 89 mm bits
17-piece set
1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code	Icon	Item	Quantity
05051042002	●	816 R	1 x 1/4"x119
	●	800/4 Z	1 x 1.0x5.5x89
	○	840/4 Z	1 x 3/32"x89; 1 x 1/8"x89; 1 x 5/32"x89;
		Hex-Plus	1 x 3/16"x89
	⊕	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89
	⊕	867/4 Z	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89;
		TORX® BO	1 x TX 25x89; 1 x TX 30x89
	○	868/4	1 x # 1x89; 1 x # 2x89; 1 x # 3x89
		Square-Plus	



Kraftform Kompakt and VDE

Kraftform Kompakt 60, 61, 62

Bits of 89 mm in length

Kraftform Kompakt 62

Hex-Plus



Pouch with 89 mm bits
33-piece set

1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck

Code			
05059297005	816 R	1 x 1/4"x119	1
	800/4 Z	1 x 1.2x6.5x89	
	840/4 Z	1 x 2.0x89; 1 x 2.5x89; 1 x 3.0x89;	
	Hex-Plus B0	1 x 4.0x89; 1 x 5.0x89; 1 x 6.0x89	
	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89	
	855/4 Z PZ	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89	
	857/4 Z	1 x 4x89; 1 x 6x89; 1 x 8x89; 1 x 10x89	
	Spanner		
	867/4 Z	1 x TX 8x89; 1 x TX 10x89; 1 x TX 15x89;	
	TORX® B0	1 x TX 20x89; 1 x TX 25x89; 1 x TX 27x89;	
		1 x TX 30x89; 1 x TX 40x89	
	871/4 TORQ-SET® Mplus	1 x 6x89; 1 x 8x89; 1 x 10x89	
	875/4 TRI-WING®	1 x 1x89; 1 x 2x89; 1 x 3x89; 1 x 4x89	




How can wasting time by using the wrong screwdriver be avoided?



Frequently, users have to work with their tools at a fixed workplace location as well as at external sites. Just as frequently, it is only on site that a decision is taken as to whether to work manually or with a power tool. The Kraftform Kompakt tool set equips the user for both types of operation with just a single set. Additionally, the sets are kept in belt pouches or plastic cases. This keeps them secure and clean and means that they are clearly arranged for easy tool selection, something that is very practical when they are to be used or transported.



Extra Long



Pouches with bitholding screwdriver and 89 mm long bits.

Kraftform Kompakt 70 and 71

Kraftform handle, Rapidaptor and 30 bits.

Kraftform Kompakt 70 allround

Hex-Plus



Kraftform Kompakt 71 security

Hex-Plus



32-piece set

1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck,
1 universal bit holder 889/4/1 K Rapidaptor

Code	Icon	Part Number	Description	Quantity
05057110007	●	816 R	1 x 1/4"x119	1
	●	889/4/1 K	1 x 1/4"x50	
	●	800/1 TZ	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	○	840/1 Z Hex-Plus	1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25	
	+	851/1 TZ PH	3 x PH 1x25; 3 x PH 2x25; 3 x PH 3x25	
	+	855/1 TZ PZ	3 x PZ 1x25; 3 x PZ 2x25; 3 x PZ 3x25	
	⊕	867/1 Z TORX® BO	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	


32-piece set

1 Kraftform bitholding screwdriver 816 R with Rapidaptor quick-release chuck,
1 universal bit holder 889/4/1 K Rapidaptor

Code	Icon	Part Number	Description	Quantity
05057111007	●	816 R	1 x 1/4"x119	1
	●	889/4/1 K	1 x 1/4"x50	
	○	840/1 Z Hex-Plus B0	1 x 2.0x25; 1 x 2.5x25; 1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25	
	+	857/1 Z Spanner	1 x 4x25; 1 x 6x25; 1 x 8x25; 1 x 10x25	
	⊕	867/1 Z TORX® B0	1 x TX 7x25; 1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	
	○	868/1 Z	1 x # 0x25; 1 x # 1x25; 1 x # 2x25; 1 x # 3x25	
	+	871/1 TORQ- SET® Mplus 25 mm	1 x 6x25; 1 x 8x25; 1 x 10x25; 1 x 1/4"x25	
	⊕	875/1 TRI- WING® 25 mm	1 x 1x25; 1 x 2x25; 1 x 3x25	



Kraftform Kompakt 70 and 71



A big-diameter Kraftform handle, a power tool adaptor with quick-release chuck for machine use and 30 bits provide the user with all the tools he needs.

Kraftform Kompakt
and VDE

Kraftform Kompakt 90 and 91

Wera Kraftform ratchet

Kraftform Kompakt 90

Hex-Plus



22-piece set

1 Kraftform ratchet 98/4/1 with quick-release chuck, 1 universal hand-held bit holder 889/4/1 K Rapidaptor

Code			
05056948003	889/4/1 K	1 x 1/4"x50	1
	98/4/1	1 x 1/4"	
	800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	840/1 Z Hex-Plus	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	
	855/1 Z PZ	2 x PZ 1x25; 3 x PZ 2x25; 1 x PZ 3x25	
	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	

Kraftform Kompakt 91

Hex-Plus



18-piece set

1 Kraftform ratchet 98/4/1 with quick-release chuck, 1 universal hand-held bit holder 889/4/1 K Rapidaptor, 1 adaptor 870/1

Code			
05056947004	889/4/1 K	1 x 1/4"x50	1
	98/4/1	1 x 1/4"	
	790 HA	1 x 5.5x22.0; 1 x 7.0x22.0; 1 x 8.0x22.0; 1 x 10.0x22.0; 1 x 13.0x22.0	
	840/1 Z Hex-Plus	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	
	867/1 Z TORX® B0	1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25	
	870/1	1 x 1/4"x25	

Kraftform Kompakt 90, imperial

Hex-Plus



22-piece set

1 Kraftform ratchet 98/4/1 with quick-release chuck, 1 universal hand-held bit holder 889/4/1 K Rapidaptor

Code			
05135954002	889/4/1 K	1 x 1/4"x50	1
	98/4/1	1 x 1/4"	
	800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	840/1 Z Hex-Plus	1 x 3/32"x25; 1 x 1/8"x25; 1 x 5/32"x25	
	851/1 Z PH	2 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25	
	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	
	868/1 Z	1 x # 1x25; 1 x # 2x25; 1 x # 3x25	

Kraftform Kompakt 91, imperial

Hex-Plus



18-piece set

1 Kraftform ratchet 98/4/1 with quick-release chuck, 1 universal hand-held bit holder 889/4/1 K Rapidaptor, 1 adaptor 870/1

Code			
05135953002	889/4/1 K	1 x 1/4"x50	1
	98/4/1	1 x 1/4"	
	790 HA	1 x 3/16"x25.0; 1 x 1/4"x25.0; 1 x 5/16"x25.0; 1 x 3/8"x25.0; 1 x 1/2"x25.0	
	840/1 Z Hex-Plus	1 x 3/32"x25; 1 x 1/8"x25; 1 x 5/32"x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	
	867/1 Z TORX® B0	1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25	
	870/1	1 x 1/4"x25	

Bitholding Screwdrivers and Adaptors

Suitable for hand and power tool applications

98/4/1 Kraffform ratchet



Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) socket insert bits and Wera Series 1 and 4

Design: Quick-release chuck for fast bit changes

Handle: Kraffform pistol grip, multi-component, gearless mechanism with needle bearings and integrated switch for forward and reverse operation

Code	mm	mm	mm	mm	mm	
05003263004	1/4"	140	100	5 9/16"	4"	1

817 R Bitholding screwdriver with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4

Drive: 1/4" hexagon suitable for power tools with DIN 3126-F 6.3, ISO 1173 chuck

Design: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic

Handle: Kraffform with non-roll feature, multi-component

Code	mm	
05051482003	1/4"	133

816 R Bitholding screwdriver with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4

Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic

Handle: Kraffform with non-roll feature, multi-component

Code	mm	
05051462003	1/4"	119

813 R Bitholding screwdriver with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4

Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic

Handle: Kraffform with non-roll feature, multi-component

Code	mm	
05051272002	1/4"	90

Kraffform Kompakt
and VDE

Bitholding Screwdrivers and Adaptors

Suitable for hand and power tool applications

489 R T-handle Rapidaptor



Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits und Wera Series 1 and 4

Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology, magnetic

Handle: T-handle, multi-component

Code	1/4"	mm	mm	mm	mm	mm	mm	mm	mm
05013390002	1/4"	45	44	87	1 25/32"				2

392 Bitholding screwdriver with flexible shaft



Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon bits and Wera Series 1

Design: Wera quick-release chuck

Handle: Kraftform with non-roll feature, multi-component

Code	1/4"	mm	mm	mm
05028160002	1/4"	177	98	7"

810/1 Bitholding screwdriver with retaining ring



Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1

Blade: Hexagon

Design: Retaining ring, chrome-plated

Handle: Kraftform with non-roll feature, multi-component

Code	1/4"	mm	mm	mm	mm
05051005005	1/4"	120	112	10.5	4 3/4"

812/1 Bitholding screwdriver with strong permanent magnet



Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1

Blade: Hexagon

Design: Strong permanent magnet, chrome-plated

Handle: Kraftform with non-roll feature, multi-component

Code	1/4"	mm	mm	mm	mm
05051205004	1/4"	120	112	10.5	4 3/4"

811/1 Stubby



Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1


Blade: Round

Design: Extra short with strong permanent magnet

Handle: Kraftform, Weralit II, single-component

Code	1/4"	mm	mm	mm
05051105002	1/4"	10	54	3/8"

819/1 Combination screwdriver with strong permanent magnet, without bits



Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1


Blade: Hexagon

Design: Strong permanent magnet

Handle: Kraftform, Weralit II, single-component, rotary magazine

Code	mm	mm	mm		
05051610002	1/4"	120	112	10.5	4 3/4" 1

820/1/6 Combination screwdriver with strong permanent magnet and bits



Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1


Blade: Hexagon

Design: Strong permanent magnet

Handle: Kraftform, Weralit II, single-component, rotary magazine

Code			
05051620002	819/1 Vario	1 x 1/4"x120	1
	867/1 Z TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	

819/1/6 Combination screwdriver with strong permanent magnet and bits



Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1

Blade: Hexagon

Design: Strong permanent magnet

Handle: Kraftform, Weralit II, single-component, rotary magazine

Code			
05051615004	819/1 Vario	1 x 1/4"x120	1
	800/1 Z	1 x 0.8x5.5x25; 1 x 1.2x6.5x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25	

829/4/1 Bitholding screwdriver



Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4

Design: Hexagon blade, hexagon bolster, Wera quick-release chuck, magnetic

Handle: Kraftform with non-roll feature, multi-component

Code	mm	mm	
05051830003	1/4"	120	98 4 3/4" 2

819/1/6 PH Combined Screwdriver with strong permanent magnet and bits



Application: Suitable for 1/4" DIN 3126-C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1

Blade: Hexagon

Design: With strong permanent magnet

Handle: Kraftform, Weralit II, one component, rotary magazine

Code			
05346280001	819/1 Vario	1 x 1/4"x120	1
	800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	

Magazine holders



The Vario magazine holders for storing bits are a compact version of the 6-piece screwdriver set.

Kraftform Kompakt
and VDE


Kraftform Kompakt VDE

Versatile tools for work on live wiring



Each Kraftform Kompakt VDE set has been tested individually in a water bath at 10,000 volts, in accordance with DIN EN 60900 (IEC 60900:2004). This ten-times-higher testing load guarantees safe working at their maximum permitted load of 1,000 volts.

The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.



Kraftform Kompakt VDE sets come with an insulated handle and insulated interchangeable blades, that can be exchanged without any special tools.

The tools can be stored and carried in a robust belt pouch, keeping them always to hand.

The 18-piece set includes blades for PlusMinus screws, various keys for switch cabinets and a voltage tester.



Kraftform Kompakt VDE

Versatile tools for work on live wiring

Kraftform Kompakt VDE 60 i/7



1 Kraftform hand-held bit holder 817 VDE for Wera interchangeable blades
VDE interchangeable blades (each 154 mm long)
7-piece set

Code			
05003470003	● 817 VDE	1 x 9x102	1
	● KK 60 i	1 x 0.4x2.5x154; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154	
	⊕ KK 62 i	1 x PH 1x154; 1 x PH 2x154	

Kraftform Kompakt VDE 60 i/68 i/7



1 Kraftform hand-held bit holder 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (each 154 mm long)
7-piece set

Code			
05003473002	● 817 VDE	1 x 9x102	1
	● KK 60 i	1 x 0.6x3.5x154; 1 x 1.0x5.5x154	
	⊕ KK 62 i	1 x PH 1x154; 1 x PH 2x154	
	○ KK VDE 68 i	1 x # 1x154; 1 x # 2x154	

Kraftform Kompakt VDE 60 i/62 i/65 i/18



1 Kraftform hand-held bit holder 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (each 154 mm long)
Single-pole voltage tester
18-piece set

Code			
05003471008	● 817 VDE	1 x 9x102	1
	● 247 UL	1 x 0.5x3.0x70	
	● KK 60 i	1 x 0.4x2.5x154; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154	
	⊕ KK 62 i	1 x PH 1x154; 1 x PH 2x154	
	⊕ KK 62 i PH/S	1 x # 1x154; 1 x # 2x154	
	⊕ KK 65 i PZ	1 x PZ 1x154; 1 x PZ 2x154	
	⊕ KK 65 i PZ/S	1 x # 1x154; 1 x # 2x154	
	● KK 96 VK 6,3	1 x 6.3x89	
	● KK 97 VK 8,1	1 x 8.1x89	
	⊕ KK 98 DK	1 x 89	
	⊕ KK 99 FL	1 x 89	

Kraftform Kompakt

NEW: with ratchet function.


Simply optimal: the combination of Kraftform Kompakt and a ratchet screwdriver.

Ergonomic design of the reverse direction switch.


The easy-to-use yet robust ratchet mechanism with a return angle of 8° allows fast and precise work even in confined spaces.

Moreover, the hexagon design of the directional switch (made out of robust die-cast zinc) ensures that the ratchet screwdrivers do not unintentionally roll away at the workplace, and that they are ergonomic, yet simple to operate, even with dirty hands.


Robust ratchet mechanism with a torque of up to 50 Nm. Available in the versions Kraftform Kompakt 27 RA, Kraftform Kompakt 60 RA, Kraftform Kompakt Vario RA.



New: Kraftform Kompakt with **ratchet function**.



Fine action 44 tooth system. Great time savings when screwdriving. Ergonomic design of the reverse direction switch.



Additionally, the lockable neutral position permits exact adjustment work without having to change the screwdriving direction every time. Lockable neutral position for fine adjustment work.

Kraftform Kompakt Vario with ratchet function.
For high speed screwdriving

Simply optimal: the combination of Kraftform Kompakt and a ratchet screwdriver.



Fine tooth system for precision work.



Kraftform Kompakt
and VDE



Kraftform Kompakt 27 RA completes the Kraftform Kompakt 20 family. It includes bits in a bit magazine.

Non-roll feature.

Practical packaging. Ideally suited for mobile use.



Kraftform Kompakt with Ratchet Function

High working speeds

Kraftform Kompakt 27 RA 2 SB

NEW



Application: Suitable for hexagon socket insert bits as per DIN 3126-C 6.3 (ISO 1173) and Wera series 1

Design: Ratchet, fine tooth system for minimal return angle, switchover ring (clockwise, locked, anticlockwise), maximum torque of up to 50 Newton metres, hexagon blade with 1/4" hexagon chuck, stainless steel sleeve, strong permanent magnet

Handle: Kraftform with non-roll feature, multi-component, integrated magazine for 6 bits (25 mm)

Code	Icon	Code	Quantity	Code
05073661002	●	800/1 Z	1 x 1.0x5.5x25; 1 x 1.2x6.5x25	1
	⊕	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25	
	○	868/1 Z	1 x # 1x25; 1 x # 2x25	



Kraftform Kompakt 60 RA, imperial

Hex-Plus

NEW



Pouch with 89 mm bits

17-piece set

1 hand-held bit holder 816 RA Kraftform with ratchet function, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, 1/4" hexagon chuck with Rapidaptor technology i.e. rapid-in, rapid-out, rapid-spin, chuck-all and single-hand function for rapid bit change, magnetic and 16 bits of 89 mm in length suitable for holders as per DIN 3126-F 6.3, ISO 1173 or for direct insertion in a power tool

Code	Icon	Code	Quantity	Code
05051041001	○	816 RA	1 x 1/4"x142,0	1
	●	800/4 Z	1 x 1.0x5.5x89	
	○	840/4 Z	1 x 3/32"x89; 1 x 1/8"x89; 1 x 5/32"x89; Hex-Plus 1 x 3/16"x89	
	⊕	851/4 Z PH	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89	
	⊗	867/4 Z	1 x TX 10x89; 1 x TX 15x89; 1 x TX 20x89; TORX® BO 1 x TX 25x89; 1 x TX 30x89	
	○	868/4	1 x # 1x89; 1 x # 2x89; 1 x # 3x89	
		Square-Plus		

Kraftform Kompakt Vario RA, imperial, SB



Pouch with 175-mm long Wera Vario double-ended blades, 6 mm hexagon shaft, 7-piece set

1 Kraftform Kompakt Vario RA bit-holding screwdriver with ratchet function, fine tooth mechanism ensuring a small return angle, switchover ring (right, fixed, left), maximum torque of up to 50 Newton meters; 6 mm hexagon chuck for Wera Vario double-ended blades, 6 Vario double-ended blades (= 12 different dimensions)

Code	Icon	Dimensions	Quantity
05073666002		1 x #1x175	1
		80 RA 1 x 6x115,0	
		81 1 x 0.6x4.0x1.0x6.0x175	
		84 inch 1 x 1/16"x5/64"x175	
		85 1 x PH 1xPH 2x175	
		87 1 x TX 10xTX 15x175; 1 x TX 20xTX 25x175	

80 RA Vario ratchet screwdriver



Application: Suitable for 6 mm Wera Vario blades

Design: Ratchet, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, 6 mm hexagon chuck

Handle: Kraftform with non-roll feature, multi-component

Code	mm	mm	Quantity
05002901002	6	115,0	1

816 RA Ratchet screwdriver



Application: Suitable for hexagon socket insert bits as per DIN 3126-C 6.3 and E 6.3 (ISO 1173) and Wera series 1 and 4

Design: Ratchet, fine-tooth design for minimal return angle, switchover ring (right, locked, left), maximum torque of up to 50 Newton metres, 1/4" hexagon chuck with Rapidaptor technology i.e. rapid-in, rapid-out, rapid-spin, chuck-all and single-hand function for rapid bit change, magnetic

Handle: Kraftform with non-roll feature, multi-component

Code	mm	Quantity
05051461002	1/4" 142,0	1

Kraftform Kompakt Vario

The Kraftform Kompakt Vario range is outstanding due to its very popular 6 mm double-ended blade system.

The double-ended blades are out of high quality bit material which gives them a particularly long service life.



The Wera Black Point tip provides an exact fit with optimum corrosion protection.



1/4" hexagon and square drives as per DIN 3126-C 6.3 and DIN 3120 can also be driven with the 6 mm handles by attaching an adaptor.



Kraftform Kompakt Vario

88/1 Vario set



11-piece set, specifically for demanding workshop environments

Code	Icon	Size	Quantity
05002990006		80	1 x 6x98
		81	1 x 0.6x4.0x1.0x6.0x175; 1 x 0.8x5.0x1.2x7.0x175
		84	1 x 4x4x175; 1 x 5x5x175; 1 x 6x6x175
		85	1 x PH 1xPH 2x175
		86	1 x PZ 1xPZ 2x175
		87	1 x TX 10xTX 15x175; 1 x TX 20xTX 25x175; 1 x TX 30xTX 40x175

80 Vario handle



Application: 6 mm Vario blades and adaptors

Handle: Kraftform with non-roll feature, multi-component, 10 mm bolster

Code	mm	mm	mm
05002900007	6	10	98



Why is the Kraftform Plus handle made out of several components?



Wera produces the Kraftform handle out of several materials with different properties. A resistant plastic is used for the core which ensures that the blade is held securely, even under high strain. A softer material is used for the coloured soft zones, which has a high

frictional resistance and allows the transfer of high forces - thus requiring less screwdriving effort. The black sections with their hard surfaces prevent any "sticking" of the hand to the handle, making rapid repositioning of the hand possible.

Kraftform Kompakt and VDE



Kraftform Kompakt Vario

830 Vario bit holder adaptor



Application: Suitable for 1/4" DIN 3126- C 6.3 (ISO 1173) hexagon insert bits and Wera Series 1

Blade: 6 mm hexagon, chrome-plated

Drive: Wera 1/4" quick-release chuck with strong permanent magnet

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05051835003	1/4"	6	165	6	175	6	175	7"	5

81 Combination blade for slotted screws



Application: Slotted screws

Blade: 6 mm hexagon

Design: Chrome-plated, Black Point

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05002910005	0.6	4.0	1.0	6.0	6	175	6	175	7"
05002913005	0.8	5.0	1.2	7.0	6	175	6	175	7"

82 Combination blade for slotted/Phillips screws



Application: Slotted screws and Phillips screws

Blade: 6 mm hexagon

Design: Chrome-plated, Black Point

Code	mm	mm	mm	mm	mm	mm	mm
05002920003	PH 1	0.6	4.0	6	175	6	175
05002923003	PH 2	1.0	6.0	6	175	6	175
05002926003	PH 3	1.2	7.0	6	175	6	175

83 Combination blade for Phillips/Pozidriv



Application: Phillips screws and Pozidriv¹ screws

Blade: 6 mm hexagon

Design: Chrome-plated, Black Point

Code	mm	mm	mm	mm	mm	mm	mm
05002930004	PH 1	PZ 1	6	175	6	175	7"
05002933004	PH 2	PZ 2	6	175	6	175	7"

¹ Pozidriv = reg. trademark of Phillips Screw Company.

84 Combination blade for hexagon socket screws



Application: Hexagon socket screws

Blade: 6 mm hexagon

Design: Chrome-plated, Black Point

Code	mm	mm	mm	mm	mm	mm	mm
05002936003	2.5	2.5	6	175	6	175	7"
05002938005	3	3	6	175	6	175	7"
05002940005	4	4	6	175	6	175	7"
05002943005	5	5	6	175	6	175	7"
05002946005	6	6	6	175	6	175	7"

85 Combination blade for Philips screws



Application: Phillips screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code	PH 1	PH 2	mm	mm	mm	
05002950006			6	175	7"	5

86 Combination blade for Pozidriv screws



Application: Suitable for Pozidriv¹⁾ screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code	PZ 1	PZ 2	mm	mm	mm	
05002960006			6	175	7"	5
05140310003			6	175	7"	5

¹⁾ Pozidriv = reg. trademark of Phillips Screw Company.

87 Combination blade for TORX® screws



Application: TORX® socket screws
Blade: 6 mm hexagon
Design: Chrome-plated, Black Point

Code	TX 6	TX 8	mm	mm	mm	
05002966003			6	175	7"	5
05002968004			6	175	7"	5
05002970006			6	175	7"	5
05002973007			6	175	7"	5
05002976006			6	175	7"	5

68 Combination blade for square socket screws



Application: For square socket screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code	#1	#2	mm	mm	mm	
05002980002			6	175	7"	5