

Stainless



Stainless steel tools prevent complaints caused by rusting stainless steel!

Stainless steel tools prevent high consequential costs caused by rusting stainless steel!




Stainless steel bits are available **individually** and in **Bit-Check sets**. Bit-Checks combine a wide range of functions in a compact form. Naturally, the bits are created for professional applications i.e. no compromises in terms of service life when compared with conventional bits made from alloyed tool steel.



The stainless steel Rapidaptor bit holder allows simple handling even in the stainless steel tool line:

- **rapid bit change** with just one hand and without any additional tools
- free-rotating sleeve for stabilising the power tool
- secure clamping of long bits.



Stainless steel L-keys in Hex-Plus design **prevent rounded screw heads** and transfer up to 20% more torque.

Stainless Steel Tools

Keep rust at bay

3335 Screwdriver for slotted screws, stainless



Application: Slotted screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraffform with non-roll feature, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05032001002 ¹⁾	0.5	3.0	3.0	80	81	1/8"	3 1/8"	10
05032002002	0.6	3.5	3.5	100	81	9/64"	4"	10
05032003002	0.8	4.0	4.0	100	98	5/32"	4"	10
05032004002	1.0	5.5	5.5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3350 PH Screwdriver for Phillips screws, stainless



Application: Phillips screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraffform with non-roll feature, multi-component

Code	mm	mm	mm	mm	mm	
05032020002 ¹⁾	PH 0	60	81	3.0	2 3/8"	5
05032021002	PH 1	80	98	4.5	3 1/8"	10
05032022002	PH 2	100	105	6.0	4"	10
05032023002	PH 3	150	112	8.0	6"	5

¹⁾ without Lasertip

3334 Screwdriver for slotted screws, stainless



Application: Slotted screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraffform with non-roll feature, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05032005002	1.2	6.5	6.0	150	105	1/4"	6"	10
05032006002	1.2	8.0	7.0	175	112	5/16"	7"	10
05032007002	1.6	10.0	9.0	200	112	3/8"	8"	5

3355 PZ Screwdriver for Pozidriv screws, stainless



Application: Suitable for Pozidriv¹⁾ screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraffform with non-roll feature, multi-component

Code	mm	mm	mm	mm	mm	
05032030003 ¹⁾	PZ 0	60	81	3.0	2 3/8"	5
05032031005	PZ 1	80	98	4.5	3 1/8"	10
05032032005	PZ 2	100	105	6.0	4"	10
05032033003	PZ 3	150	112	8.0	6"	5

¹⁾ without Lasertip

¹⁾ Pozidriv = reg. trademark of Phillips Screw Company.

3367 Screwdriver for TORX® screws, stainless



Application: TORX® socket screws
Blade: Round
Design: Stainless steel
Handle: Kraftform with non-roll feature, multi-component

Code							
		mm	mm	mm			
05032050002	TX 8	60	81	3.5	2 3/8"		10
05032051002	TX 9	60	81	4.0	2 3/8"		10
05032052002	TX 10	80	81	4.0	3 1/8"		10
05032053002	TX 15	80	98	4.0	3 1/8"		10
05032054002	TX 20	100	98	4.5	4"		10
05032055002	TX 25	100	105	5.0	4"		10
05032056002	TX 27	115	105	5.5	4 9/16"		10
05032057002	TX 30	115	105	6.0	4 9/16"		10
05032058002	TX 40	130	112	7.0	5 3/16"		10

3368 Screwdriver for square socket screws, stainless



Application: Square socket screws
Blade: Round
Design: Stainless steel
Handle: Kraftform with non-roll feature, multi-component

Code							
		mm	mm	mm			
05032070002	# 1	80	98	4.5	3 1/8"		10
05032071002	# 2	100	105	6.0	4"		10
05032072002	# 3	150	112	8.0	6"		5



How to prevent rust when working with stainless steel



Stainless steel has the property of not rusting. However, if tools made out of conventional steel are used for stainless steel components or screws, the particles left behind from these tools can adhere to the surface and then rust. This effect – known as extraneous rust – can impair the visual appearance and even cause structural damage that may result in expensive repair work.

The wear particles that cause this rust effect can be prevented by using stainless steel tools.



Stainless Steel Tools

Keep rust at bay

3334/6 Screwdriver set, stainless and rack



Lasertip



Application: Slotted and Phillips screws
Content: 6-piece set and rack in display carton

Code			
05032060002	● 3334	1 x 1.2x6.5x150	1
	● 3335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	⊕ 3350 PH	1 x PH 1x80; 1 x PH 2x100	

¹⁾ without Lasertip

3334/3355/6 Screwdriver set, stainless and rack



Lasertip



Application: Slotted and Pozidriv[®] screws
Content: 6-piece set and rack in display carton

Code			
05032061003	● 3334	1 x 1.2x6.5x150	1
	● 3335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	⊕ 3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	

¹⁾ without Lasertip

²⁾ Pozidriv = reg. trademark of Phillips Screw Company.



Why have there been so few stainless steel tools until now?



Wera recently introduced a special process to finally ensure that stainless steel tools satisfy the same hardness specifications as conventional tools. The vacuum ice-hardening process gives the tools the necessary degree of hardness needed in industrial

applications. The result: tough tools made from stainless steel for stainless steel applications.

3334/3350/3355/6 Screwdriver set, stainless and rack



Lasertip



Application: Slotted, Phillips and Pozidriv[®] screws
Content: 6-piece set and rack in display carton

Code			
05032063005	● 3334	1 x 1.2x6.5x150	1
	● 3335	1 x 0.5x3.0x80 ¹⁾	
	⊕ 3350 PH	1 x PH 1x80; 1 x PH 2x100	
	⊕ 3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	

¹⁾ without Lasertip

²⁾ Pozidriv = reg. trademark of Phillips Screw Company.

3367/3355/6 Screwdriver set, stainless and rack



Application: TORX® and Pozidriv¹⁾ screws

Content: 6-piece set and rack in display carton



Code

05032062005	+	3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	1
	+	3367 TORX®	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100	

¹⁾ Pozidriv = reg. trademark of Phillips Screw Company.

3334/12 Screwdriver set, stainless



Application: Slotted, Phillips-Recess and square socket screws

Content: 12-piece set




Code

05347903001	●	3334	1 x 1.2x6.5x150; 1 x 1.2x8.0x175	1
	●	3335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.6x3.5x100; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	+	3350 PH	1 x PH 0x60 ¹⁾ ; 1 x PH 1x80; 1 x PH 2x100; 1 x PH 3x150	
	○	3368	1 x # 1x80; 1 x # 2x100	

¹⁾ without Lasertip



Can stainless steel tools only be used for stainless steel screws?



Stainless steel tools can, of course, be used with conventional screws. This is in no way a compromise.

However, a usage that alternates between stainless steel screws and conventional screws should be avoided

to prevent any transfer of extraneous rust particles. Wera's stainless steel tools are also an excellent choice for applications in moist environments – such as for work outside, or around boats.

Stainless Steel Tools

Keep rust at bay

3160 i VDE Insulated screwdriver for slotted screws, stainless



Application: Slotted screws

Blade: Insulated, individually tested as per IEC 60900 : 2004

Design: Conical edge, Lasertip, stainless steel for minimising rust

Handle: Kraftform with non-roll feature, multi-component

Code	mm	mm	mm	mm	mm	mm	mm
05022729002 ¹⁾	0.5	3.0	80	81	1/8"	3 1/8"	10
05022730002	0.6	3.5	100	81	9/64"	4"	10
05022731002	0.8	4.0	100	98	5/32"	4"	10
05022732002	1.0	5.5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3162 i VDE PH Insulated screwdriver for Phillips screws, stainless



Application: Phillips screws

Blade: Insulated, individually tested as per IEC 60900 : 2004

Design: Lasertip, stainless steel for minimising rust

Handle: Kraftform with non-roll feature, multi-component

Code	mm	mm	mm
05022733002	PH 1	80	98
05022734002	PH 2	100	105

3160 i/7 Screwdriver set, stainless and rack



Kraftform stainless: the safety screwdriver for stainless steel screws, Lasertip blade + voltage tester + rack

Application: Slotted and Phillips screws

Contents: Stainless steel, 7-piece set and rack in display carton

Code			
05022728002	⊖	3160 i VDE	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.6x3.5x100; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125
	⊕	3162 i VDE	1 x PH 1x80; 1 x PH 2x100
	⊖	3247	1 x 0.5x3.0x70

¹⁾ without Lasertip

3950 PKL L-key, metric, stainless



Hex-Plus



Application: Hexagon socket screws
Design: Stainless steel
Tip: Hex-Plus, ball-end hexagon on long arm

Code	mm	mm	mm	mm	mm	mm
05022700003	1.5	90	14	3 1/2"	9/16"	10
05022701003	2.0	101	16	4"	5/8"	10
05022702003	2.5	112	19	4 7/16"	3/4"	10
05022703003	3.0	123	21	4 7/8"	27/32"	10
05022704003	4.0	137	24	5 3/8"	1"	10
05022705003	5.0	154	27	6 1/16"	1 1/16"	10
05022706003	6.0	172	31	6 3/4"	1 1/4"	10
05022708003	8.0	195	37	7 11/16"	1 7/16"	10
05022709003	10.0	224	42	9"	1 11/16"	10

3950 PKL L-key, imperial, stainless



Hex-Plus



Application: Hexagon socket screws
Design: Stainless steel
Tip: Hex-Plus, ball-end hexagon on long arm

Code	mm	mm	mm	mm	mm	mm
05022710002	3/32"	112	19	4 7/16"	3/4"	10
05022711002	7/64"	119	20	4 3/4"	25/32"	10
05022712002	1/8"	123	21	4 7/8"	27/32"	10
05022713002	9/64"	130	22	5 3/16"	29/32"	10
05022714002	5/32"	137	24	5 3/8"	1"	10
05022715002	3/16"	154	27	6 1/16"	1 1/16"	10
05022716002	1/4"	185	34	7 1/4"	1 5/16"	10
05022717002	5/16"	195	37	7 11/16"	1 7/16"	10
05022718002	3/8"	224	42	9"	1 11/16"	5

3950 PKL/9 L-key set, metric, stainless



Hex-Plus



9-piece set in a two-component clip

Code	mm	mm	mm	mm	mm	mm
05022720005	1.5	90	14	3 1/2"	9/16"	10
05022721005	2.0	101	16	4"	5/8"	10
05022722005	2.5	112	19	4 7/16"	3/4"	10
05022723005	3.0	123	21	4 7/8"	27/32"	10
05022724005	4.0	137	24	5 3/8"	1"	10
05022725005	5.0	154	27	6 1/16"	1 1/16"	10
05022726005	6.0	172	31	6 3/4"	1 1/4"	10
05022728005	8.0	195	37	7 11/16"	1 7/16"	10
05022729005	10.0	224	42	9"	1 11/16"	10

3950 PKL/9 SZ L-key set, imperial, stainless



Hex-Plus



9-piece set in belt pouch

Code	mm	mm	mm	mm	mm	mm
05022721002	3/32"	112	19	4 7/16"	3/4"	10
05022722002	7/64"	119	20	4 3/4"	25/32"	10
05022723002	1/8"	123	21	4 7/8"	27/32"	10
05022724002	9/64"	130	22	5 3/16"	29/32"	10
05022725002	5/32"	137	24	5 3/8"	1"	10
05022726002	3/16"	154	27	6 1/16"	1 1/16"	10
05022727002	1/4"	185	34	7 1/4"	1 5/16"	10
05022728002	5/16"	195	37	7 11/16"	1 7/16"	10
05022729002	3/8"	224	42	9"	1 11/16"	10



Hex-Plus

How can I avoid rounding the head of the socket?




Hexagon socket screws can be problematic because of the very narrow contact surfaces that transfer torque from the tool to the screw. This can destroy the head of the screw. Hex-Plus tools provide a greater contact surface to prevent this and fit every standard hexagon socket screw.

Stainless Steel Tools

Keep rust at bay

Kraftform Kompakt 25 Stainless with pouch



Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon socket insert bits and Wera Series 1 and 4

Design: Attachment, bayonet, Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology. Stainless tools minimise the formation of rust on stainless steel screws.

Handle: Kraftform with non-roll feature, multi-component, integrated magazine



Code				
05071115002	● 3800/1 TS	1 x 0.8x5.5x25; 1 x 1.0x5.5x25; 1 x 1.2x6.5x25		1
	⊕ 3851/1 TS PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25		

Kraftform Kompakt 60, stainless



Pouch with 89 mm bits, stainless steel

17-piece set

1 stainless hand-held bit holder 3816 R with Rapidaptor quick-release chuck



Code				
05071116002	● 3816 R	1 x 1/4"x119		1
	● 3800/4	1 x 1.0x5.5x89		
	○ 3840/4 Hex-Plus	1 x 3.0x89; 1 x 4.0x89; 1 x 5.0x89; 1 x 6.0x89		
	⊕ 3851/4	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89		
	⊕ 3855/4	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89		
	⊕ 3867/4 TORX® BO	1 x TX 10 B0x89; 1 x TX 15 B0x89; 1 x TX 20 B0x89; 1 x TX 25 B0x89; 1 x TX 30 B0x89		

Kraftform Kompakt 60, imperial, stainless



Hex-Plus



Pouch with 89 mm bits, stainless steel

17-piece set

1 stainless hand-held bit holder 3816 R with Rapidaptor quick-release chuck



Code				
05071117002	● 3816 R	1 x 1/4"x119		1
	● 3800/4	1 x 1.0x5.5x89		
	○ 3840/4 Hex-Plus	1 x 3/32"x89; 1 x 1/8"x89; 1 x 5/32"x89; 1 x 3/16"x89		
	⊕ 3851/4	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89		
	⊕ 3867/4 TORX® BO	1 x TX 10 B0x89; 1 x TX 15 B0x89; 1 x TX 20 B0x89; 1 x TX 25 B0x89; 1 x TX 30 B0x89		
	○ 3868/4 Square-Plus	1 x # 1x89; 1 x # 2x89; 1 x # 3x89		

3816 R Bit-holding screwdriver with Rapidaptor quick-release chuck, stainless



Application: Suitable for 1/4" hexagon insert bits, DIN 3126-C 6.3 and E 6.3 (ISO 1173) and Wera Series 1 and 4

Drive: 1/4" hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology

Handle: Kraftform with non-roll feature, multi-component



Code		mm	
05051465002	1/4"	119	5



3851/1 TS bits, stainless



Application: Phillips screws
Drive: 1/4" hexagon, suitable for DIN 3126-D 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust, special torsion-style design to reduce premature wear

Code	Drive	mm	Length	Quantity
05071010001	PH 1	25	1"	10
05071011001	PH 2	25	1"	10
05071012001	PH 3	25	1"	10

3851/4 Bits, stainless



Application: Phillips screws
Drive: 1/4" hexagon, suitable for DIN 3126-F 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust

Code	Drive	mm	Length	Quantity
05071081001	PH 1	89	3 1/2"	10
05071082001	PH 2	89	3 1/2"	10
05071083001	PH 3	89	3 1/2"	10

3855/1 TS bits, stainless



Application: Suitable for Pozidriv[®] screws
Drive: 1/4" hexagon, suitable for DIN 3126-D 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust, special torsion-style design to reduce premature wear

Code	Drive	mm	Length	Quantity
05071020001	PZ 1	25	1"	10
05071021001	PZ 2	25	1"	10
05071022001	PZ 3	25	1"	10

[†] Pozidriv = reg. trademark of Phillips Screw Company.

3855/4 Bits, stainless



Application: Suitable for Pozidriv[®] screws
Drive: 1/4" hexagon, suitable for DIN 3126-F 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust

Code	Drive	mm	Length	Quantity
05071084001	PZ 1	89	3 1/2"	10
05071085001	PZ 2	89	3 1/2"	10
05071086001	PZ 3	89	3 1/2"	10

[†] Pozidriv = reg. trademark of Phillips Screw Company.

3867/1 TS TORX[®] bits, stainless



Application: TORX[®] socket screws
Drive: 1/4" hexagon, suitable for DIN 3126-D 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust, special torsion-style design to reduce premature wear

Code	Drive	mm	Length	Quantity
05071030001	TX 8	25	1"	10
05071031001	TX 9	25	1"	10
05071032001	TX 10	25	1"	10
05071033001	TX 15	25	1"	10
05071034001	TX 20	25	1"	10
05071035001	TX 25	25	1"	10
05071036001	TX 27	25	1"	10
05071037001	TX 30	25	1"	10
05071038001	TX 40	25	1"	10

Stainless Steel Tools

Keep rust at bay

3867/4 TORX® BO bits with bore hole, stainless



Application: TORX® socket screws with safety pin (BO = with bore hole)
Drive: 1/4" hexagon, suitable for DIN 3126-F 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust

Code	mm	mm	mm	mm	
05071089001	TX 10 BO	89	3 1/2"	4.0	10
05071090001	TX 15 BO	89	3 1/2"	4.0	10
05071091001	TX 20 BO	89	3 1/2"	4.5	10
05071092001	TX 25 BO	89	3 1/2"	6.0	10
05071094001	TX 30 BO	89	3 1/2"	6.0	10

3800/1 TS bits for slotted screws, stainless



TORSION



Application: Slotted screws
Drive: 1/4" hexagon, suitable for DIN 3126-D 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust, special torsion-style design to reduce premature wear

Code	mm	mm	mm	mm	
05071000001	0.8	5.5	25	1"	10
05071001001	1.0	5.5	25	1"	10
05071002001	1.2	6.5	25	1"	10

3800/4 Bits for slotted screws, stainless



Application: Slotted screws
Drive: 1/4" hexagon, suitable for DIN 3126-F 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust

Code	mm	mm	mm	mm	
05071080002	1.0	5.5	89	3 1/2"	10

3840/1 TS bits, stainless



Hex-Plus

TORSION



Application: Hexagon socket screws
Drive: 1/4" hexagon, suitable for DIN 3126-D 6.3, ISO 1173 bit holders
Design: Hex-Plus, stainless steel for minimising rust, special torsion-style design to reduce premature wear

Code	mm	mm	mm	mm	
05071070001	1.5	25	1"		10
05071071001	2.0	25	1"		10
05071072001	2.5	25	1"		10
05071073001	3.0	25	1"		10
05071074001	4.0	25	1"		10
05071075001	5.0	25	1"		10
05071077002	5.5	25	1"		10
05071076001	6.0	25	1"		10
05071060001	3/32"	25	1"		10
05071061001	7/64"	25	1"		10
05071062001	1/8"	25	1"		10
05071063001	9/64"	25	1"		10
05071064001	5/32"	25	1"		10
05071065001	3/16"	25	1"		10
05071066001	1/4"	25	1"		10



How to prevent rust when working with stainless steel



Stainless steel has the property of not rusting. However, if tools made out of conventional steel are used for stainless steel components or screws, the particles left behind from these tools can adhere to the surface and then rust. This effect – known as extraneous rust – can impair the visual appearance and even cause structural damage that may result in expensive repair work.

The wear particles that cause this rust effect can be prevented by using stainless steel tools.

3840/4 Bits, stainless



Application: Hexagon socket screws
Drive: 1/4" hexagon, suitable for DIN 3126-F 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust

Code	mm	mm	mm	mm	
05071101001	3.0	89	3 1/2"		10
05071102001	4.0	89	3 1/2"		10
05071103001	5.0	89	3 1/2"		10
05071104001	6.0	89	3 1/2"		10
05071105001	3/32"	89	3 1/2"		10
05071106001	1/8"	89	3 1/2"		10
05071107001	5/32"	89	3 1/2"		10
05071108001	3/16"	89	3 1/2"		10

3868/1 TS Square-Plus bits, stainless



NEW

Application: Square socket head screws
Drive: 1/4" hexagon, suitable for DIN 3126-D 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust, special torsion-style design to reduce premature wear

Code	mm	mm	mm	
05071025001	# 2	25	1"	10

3868/4 Square socket bits, stainless



Application: Square socket screws
Drive: 1/4" hexagon, suitable for DIN 3126-F 6.3, ISO 1173 bit holders
Design: Stainless steel for minimising rust

Code	mm	mm	mm		
05071097001	# 1	89	3 1/2"	4.5	10
05071098001	# 2	89	3 1/2"	5.0	10
05071099001	# 3	89	3 1/2"	5.5	10

3888/4/1 K Rapidaptor universal bit holder, stainless



Application: Suitable for 1/4" DIN 3126-C 6.3 and E 6.3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all and single-hand technology
Drive: 1/4" hexagon, suitable for power tools with DIN 3126-F 6.3, ISO 1173 chuck

Code	mm	mm	mm	mm		
05071100003	1/4"	50	2"	1/4"	15.0	5



How can I change bits as quickly and safely as possible?



With the Wera Rapidaptor 1/4" bits can be inserted and automatically locked in the holder without using the slide switch. Even the smallest bits are easily removed by sliding the sleeve forward. The free-spinning outer sleeve stabilises battery or mains-powered tools during the screwdriving process. All functions can be carried out with just one hand. There is no faster bit change!

tools during the screwdriving process. All functions can be carried out with just one hand. There is no faster bit change!

Stainless Steel Tools

Keep rust at bay

3869/4 Nutsetters, stainless



Application: Hexagon headed bolts, screws and nuts
Drive: 1/4" hexagon, suitable for power tools with DIN 3126-F 6.3, ISO 1173 chuck
Design: Non-magnetic, retaining spring, stainless steel for minimising rust

Code	mm	mm	mm	
05071220002	5.0	50.0	9.5	5
05071221002	5.5	50.0	9.5	5
05071222002	7.0	50.0	12.5	5
05071223002	8.0	50.0	14.0	5
05071224002	10.0	50.0	16.0	5
05071225002	13.0	50.0	19.5	5
05071226002	1/4"	50.0	12.5	5
05071227002	5/16"	50.0	14.0	5
05071228002	3/8"	50.0	16.0	5
05071229002	1/2"	50.0	19.5	5

3869/8 Nutsetter set, stainless



8-piece set, stainless steel, retaining spring, in practical belt pouch

Code			
05071230004	● 3869/4	1 x 5.0x50.0; 1 x 5.5x50.0; 1 x 7.0x50.0; 1 x 8.0x50.0; 1 x 10.0x50.0; 1 x 13.0x50.0; 1 x 1/4"x50.0; 1 x 3/8"x50.0	1

BC Stainless/30 Bit-Check



Hex Plus TORSION



29 bits and 1 Rapidaptor stainless steel bit holder: stainless tools minimise the formation of rust on stainless steel screws

Code			
05071109003	● 3888/4/1 K	1 x 1/4"x50	1
	○ 3840/1 TS	1 x 2.5x25; 1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 5.5x25	
	⊕ 3851/1 TS PH	1 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25	
	⊕ 3855/1 TS PZ	2 x TX 1x25; 3 x PZ 2x25; 1 x PZ 3x25	
	⊙ 3867/1 TS TORX®	2 x TX 10x25; 2 x TX 15x25; 3 x TX 20x25; 3 x TX 25x25; 2 x TX 30x25; 1 x TX 40x25	

BC 10/9 Bit-Check, stainless



TORSION



1 Rapidaptor bit holder 3888/4/1 K, stainless steel with quick-release chuck, suitable for power tools and electric drills

Code			
05071110007	● 3888/4/1 K	1 x 1/4"x50	10
	⊕ 3851/1 TS PH	1 x PH 2x25	
	⊕ 3855/1 TS PZ	1 x PZ 1x25; 2 x PZ 2x25	
	⊙ 3867/1 TS TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25	