

INTERNAL CAST IRON PIPE CUTTER (CAPITOL STYLE CUTTER)

Cuts Cast Iron from the inside out!!

Designed to eliminate the difficulty plumbers have in setting toilet bowls, urinals and similar fixtures due to the shortness of the closet horn. Make cuts where nothing else can!

| | | |
|--------------|-------------------|-------------------|
| 32900 | 3" Cast Iron..... | 10 lbs. (4.5kg) |
| 42900 | 4" Cast Iron..... | 10.5 lbs. (4.7kg) |

Replacement Cutter Wheels:

| | |
|---------------|-------------------------------------|
| 700201 | Cutter Wheel for CI for 32900/42900 |
|---------------|-------------------------------------|

STEEL PIPE CUTTERS

Two models designed for fast, easy cutting of steel pipes. Both models come with an extra long shank which protects adjustment threads and an extra large handle for quick, easy adjustment.

| | | |
|-------------|--|----------------|
| 2690 | For 1/8"-2" steel pipe | 6 lbs. (2.8kg) |
| 8082 | Cutter Wheel for stainless steel & steel | |
| 4690 | For 2"-4" steel pipe..... | 18 lbs. (8kg) |
| 8004 | Cutter Wheel for stainless steel & steel | |

HINGED PIPE CUTTER

Four-wheel cutter, featuring a unique guide bar design that ensures both smooth operation and accurate precise pipe cutting. Needs only 90° to 110° handle swing, and only 4 inch clearance. Universal cutter wheels are ideal for cutting most metals and are interchangeable with many other makes of hinged pipe cutters.

| | | |
|--------------|-------------------------------|-----------------|
| 5090 | 1/2"-2" pipe capacity | 6 lbs. (2.7kg) |
| 95041 | 2 1/2"-4" pipe capacity | 18 lbs. (8.2kg) |
| 95061 | 4"-6" pipe capacity..... | 21 lbs. (9.5kg) |
| 95081 | 6"-8" pipe capacity | 27 lbs. (12kg) |
| 95121 | 8"-12" pipe capacity..... | 35 lbs. (16kg) |

Replacement Cutter Wheels:

| | |
|-------------|---|
| 8039 | for 5090 for steel |
| 8050 | for 95041 for steel |
| 8052 | for 95061 for steel |
| 8054 | for 95081, 95121 for steel |
| 8051 | for 95041 for CI/DI |
| 8053 | for 95061, 95081, 95121 for CI/DI |
| 8079 | for 95041 / universal wheel |
| 8076 | for 95061, 95081, 95121 / universal wheel |

PIPE CLEANER (DESCALER)

A versatile scraper for removing mud and scale from pipe surfaces. Makes for faster cutting and better repairs and joints. Belt material is light, strong and non-corroding. Angled blades promote self-cleaning. Belt is replaceable, longer length reduces back strain.

| | | |
|-------------|-----------------------------------|----------------|
| 1300 | For 3-12" diameter, 45" OAL..... | 4 lbs. (2kg) |
| 1301 | Replacement Belt, 45"..... | 3 lbs. (1.5kg) |
| 1350 | For 12-36" diameter, 72" OAL..... | 5 lbs. (2.5kg) |
| 1351 | Replacement Belt, 72"..... | 4 lbs. (2kg) |



590 AND 591 MANUAL PIPE CUTTER

| Wheeler # | Service (Std) WT Soil Pipe | XH Soil Pipe | No-Hub® | Tile / Clay | Shipping Weight |
|-----------|----------------------------|---------------------|---------------------|----------------------|------------------|
| 590-6 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-6" (38mm-150mm) | 4"-6" (100mm-150mm) | 23 lbs. (10.5kg) |
| 590-8 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-6" (38mm-150mm) | 4"-8" (100mm-200mm) | 25 lbs. (11.5kg) |
| 590-10 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-6" (38mm-150mm) | 4"-10" (100mm-250mm) | 28 lbs. (12.7kg) |
| 590-12 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-6" (38mm-150mm) | 4"-12" (100mm-300mm) | 28 lbs. (12.7kg) |
| 590-15 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-6" (38mm-150mm) | 4"-15" (100mm-375mm) | 29 lbs. (13kg) |
| 591-6 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-6" (38mm-150mm) | 4"-6" (100mm-150mm) | 24 lbs. (11kg) |
| 591-8 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-6" (38mm-150mm) | 4"-8" (100mm-200mm) | 25 lbs. (11.5kg) |

38 Replacement Adjustment Screw Assembly

490 AND 491 RATCHET PIPE CUTTER



| Wheeler # | Service (Std) WT Soil Pipe | XH Soil Pipe | No-Hub® | Tile / Clay | Shipping Weight |
|-----------|----------------------------|---------------------|---------------------|----------------------|------------------|
| 490-6 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-6" (38mm-150mm) | 4"-6" (100mm-150mm) | 18 lbs. (8.5kg) |
| 490-8 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-8" (38mm-200mm) | 4"-8" (100mm-200mm) | 19 lbs. (8.6kg) |
| 490-10 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-8" (38mm-200mm) | 4"-10" (100mm-250mm) | 20 lbs. (9.5kg) |
| 490-12 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-8" (38mm-200mm) | 4"-12" (100mm-300mm) | 22 lbs. (10kg) |
| 490-15 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-8" (38mm-200mm) | 4"-15" (100mm-375mm) | 23 lbs. (10.5kg) |
| 491-6 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-6" (38mm-150mm) | 4"-6" (100mm-150mm) | 18 lbs. (8.5kg) |
| 491-8 | 1½"-6" (38mm-150mm) | 1½"-5" (38mm-125mm) | 1½"-8" (38mm-200mm) | 4"-8" (100mm-200mm) | 19 lbs. (9kg) |

6519 ½" Square Male/Female Drive Ratchet 2 lbs. (.9kg)
 700669 Replacement Drive Screw Assembly

3990 XH RATCHET PIPE CUTTER

| Wheeler # | Service (Std) WT Soil Pipe | XH Soil Pipe | Tile / Clay | Cast Iron Water Class 22 | Shipping Weight |
|-----------|----------------------------|--------------------|---------------------|--------------------------|------------------|
| 3990-6 | 2"-6" (50mm-150mm) | 2"-6" (50mm-150mm) | 2"-6" (50mm-150mm) | 2"-6" (50mm-150mm) | 21 lbs. (9.5kg) |
| 3990-8 | 2"-8" (50mm-200mm) | 2"-8" (50mm-200mm) | 4"-8" (100mm-200mm) | 2"-6" (50mm-150mm) | 23 lbs. (10.5kg) |

6520 ½" Square Female Drive Ratchet – U.S.A. Made 2 lbs. (.9kg)
 700919 Replacement Drive Screw Assembly

SOIL PIPE COUPLING TORQUE WRENCH

This durable "T-Handle" type torque tool with a contoured comfort-fit handle features a removable socket and a unique locking collar, which allows the tool to be used as an untorqued snug-up or back-off, as well as a conventional torque tool. With the locking collar retracted, the tool torques to the right (tightening), while ratcheting to the left. When proper torque value has been achieved, the mechanism slips internally and over-tightening is impossible.

1977 T-Torque for tightening 5/16" coupling nuts to 60 in. lbs. Weight 1 lb. (.5kg)
 1980 T-Torque for tightening 5/16" coupling nuts to 80 in. lbs. Weight 1 lb. (.5kg)
 1981 T-Torque for tightening 3/8" coupling nuts to 80 in. lbs. Weight 1 lb. (.5kg)
 1982 T-Torque for tightening 5/16" & 3/8" coupling nuts to 80 in. lbs. Weight 1 lb. (.5kg)

275410 5/16" Replacement Socket
 275818 3/8" Replacement Socket



Close-up view of "captured screw"

Replaceable Socket

WHEELER-REX HYDRAULIC PIPE CUTTERS

Wheeler-Rex Hydraulic Cutters are the solution to cutting larger diameter Cast Iron, Tile and Concrete Pipe. Like the hand operated "snap" cutters, hydraulic cutters are not rotated around pipe. Their remotely operated hydraulic pumps provide the required power. A 2"-3" minimum clearance is all that is needed to wrap cutter chain around pipe. They come complete with pump, hose and case.



2990 HYDRAULIC PIPE CUTTER

| Wheeler # | Service (Std) WT Soil Pipe | XH Soil Pipe | Tile / Clay | Cast Iron Water Class 22 | Cast Iron Water Class 26 | Shipping Weight |
|-----------|----------------------------|--------------------|---------------------|--------------------------|--------------------------|-----------------|
| 2990-6 | 2"-6" (50mm-150mm) | 2"-6" (50mm-150mm) | 2"-6" (50mm-150mm) | 2"-6" (50mm-150mm) | NA | 85 lbs. (39kg) |
| 2990-8 | 2"-8" (50mm-200mm) | 2"-8" (50mm-200mm) | 2"-8" (50mm-200mm) | 2"-6" (50mm-150mm) | NA | 87 lbs. (40kg) |
| 2990-10 | 2"-10" (50mm-250mm) | 2"-8" (50mm-200mm) | 2"-10" (50mm-250mm) | 2"-6" (50mm-150mm) | NA | 89 lbs. (41kg) |
| 2990-12 | 2"-10" (50mm-250mm) | 2"-8" (50mm-200mm) | 2"-12" (50mm-300mm) | 2"-6" (50mm-150mm) | NA | 92 lbs. (42kg) |
| 2990-15 | 2"-10" (50mm-250mm) | 2"-8" (50mm-200mm) | 2"-15" (50mm-375mm) | 2"-6" (50mm-150mm) | NA | 94 lbs. (43kg) |

1630 Replacement Hydraulic Pump 22 lbs. (48.5kg)



3890 HYDRAULIC PIPE CUTTER

| Wheeler # | Service (Std) WT Soil Pipe | XH Soil Pipe | Tile and Concrete | Cast Iron Water Class 22 | Cast Iron Water Class 26 | Shipping Weight |
|-----------|----------------------------|----------------------|----------------------|--------------------------|--------------------------|-----------------|
| 3890-12 | 4"-12" (100mm-300mm) | 4"-12" (100mm-300mm) | 4"-12" (100mm-300mm) | 4"-12" (100mm-300mm) | 4"-10" (100mm-250mm) | 152 lbs. (69kg) |
| 3890-15 | 4"-15" (100mm-375mm) | 4"-15" (100mm-375mm) | 4"-15" (100mm-375mm) | 4"-12" (100mm-300mm) | 4"-10" (100mm-250mm) | 163 lbs. (74kg) |
| 3890-18 | 4"-18" (100mm-450mm) | 4"-18" (100mm-450mm) | 4"-18" (100mm-450mm) | 4"-12" (100mm-300mm) | 4"-10" (100mm-250mm) | 170 lbs. (77kg) |
| 3890-24 | 4"-18" (100mm-450mm) | 4"-18" (100mm-450mm) | 4"-24" (100mm-600mm) | 4"-12" (100mm-300mm) | 4"-10" (100mm-250mm) | 178 lbs. (88kg) |

1830 Replacement Hydraulic Pump 22 lbs. (48.5kg)

5590 HYDRAULIC PIPE CUTTER

| Wheeler # | Service (Std) WT Soil Pipe | XH Soil Pipe | Tile and Concrete | Cast Iron Water Class 22 | Cast Iron Water Class 26 | Shipping Weight |
|-----------|----------------------------|----------------------|----------------------|--------------------------|--------------------------|------------------|
| 5590-18 | 6"-18" (150mm-450mm) | 6"-18" (150mm-450mm) | 6"-18" (150mm-450mm) | 6"-18" (150mm-450mm) | 6"-18" (150mm-450mm) | 200 lbs. (91kg) |
| 5590-20 | 6"-18" (150mm-450mm) | 6"-18" (150mm-450mm) | 6"-20" (150mm-500mm) | 6"-20" (150mm-500mm) | 6"-18" (150mm-450mm) | 213 lbs. (97kg) |
| 5590-24 | 6"-18" (150mm-450mm) | 6"-18" (150mm-450mm) | 6"-24" (150mm-600mm) | 6"-20" (150mm-500mm) | 6"-18" (150mm-450mm) | 230 lbs. (105kg) |
| 5590-36 | 6"-18" (150mm-450mm) | 6"-18" (150mm-450mm) | 6"-36" (150mm-900mm) | 6"-20" (150mm-500mm) | 6"-18" (150mm-450mm) | 269 lbs. (122kg) |

1930 Replacement Hydraulic Pump 22 lbs. (48.5kg)



SEE THESE PIPE CUTTERS IN ACTION ON OUR WEBSITE AT WWW.WHEELERREX.COM

HYDRAULIC PUMP FLUID

(Wheeler Hydraulic Cutter guarantees valid only when Hydroyl fluid is used.)


3801 1 Qt. 2.5 lbs. (1kg)
 3804 1 Gal. 8 lbs. (4kg)

Gallons are available in cases of six.



490 RATCHET, 590 MANUAL & 1790 JR. HYDRAULIC

| Part No. | | Length | No. of pins | Weight |
|---|---|---------|-------------|------------------|
| 522 | Chain for 6" Pipe | 26 1/4" | 21 | 5 lbs. (2.3kg) |
| 532 | Chain for 6" Pipe with rollers for No-Hub® | 26 1/4" | 21 | 5 lbs. (2.3kg) |
| 528 | Chain for 8" Pipe | 36" | 29 | 6.5 lbs. (2.9kg) |
| 533 | Chain for 8" Pipe with rollers for No-Hub® | 36" | 29 | 6.5 lbs. (2.9kg) |
| 5210 | Chain for 10" Pipe | 43 3/4" | 35 | 8 lbs. (3.6kg) |
| 5212 | Chain for 12" Pipe | 51" | 41 | 10 lbs. (4.5kg) |
| 5215 | Chain for 15" Pipe | 58 1/2" | 47 | 11 lbs. (5kg) |
| FOR CONVERTING YOUR PRESENT CHAIN TO CUT LARGER SIZES | | | | |
| 5256 | 6" to 8", 8" to 10", 10" to 12", 12" to 15" | 10" | 8 | 2 lbs. (.9kg) |
| 5258 | 6" to 10", 8" to 12", 10" to 15" | 17 1/2" | 14 | 3.5 lbs. (1.6kg) |
| 52510 | 6" to 12", 8" to 15" | 25" | 20 | 8 lbs. (3.6kg) |
| 52512 | 6" to 15" | 32 1/2" | 26 | 6 lbs. (2.7kg) |
| 519 | Kit to convert 590 Cutter to 591 No-Hub® Cutter or 490 Cutter to 491 No-Hub® Cutter | | | |



519 Kit

3990 RATCHET PIPE CUTTER

| Part No. | | Length | No. of Pins | Weight |
|----------|-------------------|--------|-------------|------------------|
| 700987 | Chain for 6" Pipe | 26" | 21 | 7 lbs. (3kg) |
| 701077 | Chain for 8" Pipe | 36" | 29 | 8.5 lbs. (3.8kg) |

2990 HYDRAULIC CUTTER

| Part No. | | Length | No. of pins | Weight |
|--|--------------------------------------|---------|-------------|-------------------|
| 1926 | Chain for 6" Pipe | 26 1/4" | 21 | 7 lbs. (3kg) |
| 1924 | Chain for 8" Pipe (replaces 2924) | 36 1/4" | 29 | 10 lbs. (4.5kg) |
| 192410 | Chain for 10" Pipe (replaces 292410) | 46 1/4" | 37 | 12 lbs. (5.5kg) |
| 192412 | Chain for 12" Pipe (replaces 292412) | 53 1/4" | 43 | 14 lbs. (6.5kg) |
| 192415 | Chain for 15" Pipe (replaces 292415) | 61 1/4" | 49 | 16 lbs. (7kg) |
| FOR CONVERTING YOUR PRESENT CHAIN TO CUT LARGER SIZES (Note - Old and new style chain extensions NOT interchangeable) | | | | |
| 19010 | 8" Cutter to 10" | 10" | 8 | 2 1/2 lbs. (1kg) |
| 19012 | 8" Cutter to 12" | 17 1/2" | 14 | 4 1/2 lbs. (2kg) |
| 19015 | 8" Cutter to 15" | 25" | 20 | 6 1/2 lbs (2.9kg) |
| 2905 | Adjusting link for 2990 Chain | | | |

3890 HEAVY DUTY HYDRAULIC CUTTER

| Part No. | | Length | No. of pins | Weight |
|---|--------------------|---------|-------------|------------------|
| 3824 | Chain for 12" Pipe | 50 3/4" | 29 | 25 lbs. (11kg) |
| 382415 | Chain for 15" Pipe | 63" | 37 | 32 lbs. (14.5kg) |
| 382418 | Chain for 18" Pipe | 76 1/2" | 43 | 37 lbs. (16.8kg) |
| 382424 | Chain for 24" Pipe | 97 1/2" | 55 | 47 lbs. (21.4kg) |
| FOR CONVERTING YOUR PRESENT CHAIN TO CUT LARGER SIZES | | | | |
| 382515 | 12" Cutter to 15" | 14" | 8 | 7 lbs. (3kg) |
| 382518 | 12" Cutter to 18" | 24 1/2" | 14 | 11 lbs. (5kg) |
| 382520 | 12" Cutter to 20" | 35" | 20 | 11 lbs. (5kg) |
| 382524 | 12" Cutter to 24" | 46 1/2" | 26 | 22 lbs. (10kg) |

5590 SUPER HYDRAULIC CUTTER

| Part No. | | Length | No. of pins | Weight |
|---|--------------------|---------|-------------|-------------------|
| 5524 | Chain for 18" Pipe | 72 1/2" | 29 | 71 lbs. (32kg) |
| 552420 | Chain for 20" Pipe | 82 1/2" | 33 | 83 lbs. (37.8kg) |
| 552424 | Chain for 24" Pipe | 97" | 39 | 98 lbs. (44.5kg) |
| 552436 | Chain for 36" Pipe | 142" | 57 | 142 lbs. (64.5kg) |
| FOR CONVERTING YOUR PRESENT CHAIN TO CUT LARGER SIZES | | | | |
| 552520 | 18" Cutter to 20" | 10" | 4 | 10 lbs. (4.5kg) |
| 552524 | 18" Cutter to 24" | 25" | 10 | 25 lbs. (11.4kg) |
| 552536 | 18" Cutter to 36" | 70" | 28 | 64 lbs. (29.1kg) |

NOTE: Hydraulic cutter chain parts: individual pins, links and wheels are only available with factory installation. Hydraulic cutter chain extensions are available only through authorized service stations unless installed by the factory.