

# **Wrecking Bar**

	- J						
Item		Standard		Metric			
Number	Length (I)	Capacity	Weight	Length (I)	Capacity	Weight	
924-010-02A	16"	5/8" dia	1.658	400 mm	16 mm dia	0.752	
924-010-04A	24"	5/8" dia	2.430	600 mm	16 mm dia	1.102	
924-010-06A	32"	3/4" dia	4.434	800 mm	19 mm dia	2.011	
924-010-08A	48"	13/16" dia	7.201	1200 mm	20 mm dia	3.266	




### Pinch Bar

Item		Standard		Metric			
Number	Length (I)	Diameter (s)	Weight	Length (I)	Diameter (s)	Weight	
923-7A1-02A	20"	5/8"	1.356	500 mm	15 mm dia	0.615	
923-7A1-06A	20"	3/4"	2.319	500 mm	20 mm dia	1.052	
923-7A1-08A	20"	15/16"	2.976	500 mm	23 mm dia	1.350	
923-7A1-10A	24"	1"	4.299	600 mm	25 mm dia	1.950	
923-7A1-12A	32"	15/16"	5.055	800 mm	23 mm dia	2.293	
923-7A1-14A	40"	1 3/16""	10.477	1000 mm	30 mm dia	4.752	




## **Crate Opener**

Item		Standard		Metric			
Number	Length (I)	Height (a)	Weight	ight Length (I) Height (a)			
924-110-02A	9"	2 3/4"	0.948	230 mm	70 mm	0.430	




### Scraper (Pick & Scaler)

Item		Standard		Metric			
Number	Length (I)	Height (b)	Weight	Length (I) Height (b) We			
922-5B1-02A	18"	3"	2.546	450 mm	75 mm	1.155	



### **Scraper Deck**

Item		Standard		Metric							
Number	Length (I)	Width (a)	Weight	Length (I)	Width (a)	Weight					
920-710-02A	10"	1 1/2"	0.805	250 mm	39 mm	0.365					
920-710-04A	12"	1 3/4"	0.908	300 mm	45 mm	0.412					
920-710-06A	14"	2 1/8"	1.118	350 mm	55 mm	0.507					
920-710-08A	16"	2"	1.464	400 mm	50 mm	0.664					
920-710-10A	26"	2 3/16"	2.833	650 mm	56 mm	1.285					
920-710-12A	30"	2 1/4"	3.338	750 mm	58 mm	1.514					








### Scraper

•								
Item		Stan	dard	Metric				
Number	1	Measu	rement	M-1-1-6	1	Measu	rement	Mr. L. I.
Number	Length (I)	а	b	Weight	Length (I)	а	b	Weight
921-210-02A	27 3/8"	2"	3 7/8"	1.883	695 mm	50 mm	98 mm	0.854
921-210-04A	28"	3"	4 5/8"	2.335	710 mm	75 mm	117 mm	1.059
921-210-06A	28"	4"	4 5/8"	2.520	710 mm	100 mm	117 mm	1.143




### **Scraper Spray Booth**

Item		Standard		Metric			
Number	Length (I)	Width (b)	Weight	Length (I)	Width (b)	Weight	
921-110-02A	9 1/4"	3"	0.789	235 mm	76 mm	0.358	



# **Scraper Triangular**

Item		Standard			Metric		
	Length (I)	Triangle (a)	Weight	Length (I)	Triangle (a)	Weight	
922-4A1-02A	18 1/2"	6"	1.995	470 mm	150 mm	0.905	



### Scraper Plate (Triangular - 3 Edged)

Item			Metric					
Number			rement	W. L.		Measu	rement	347 . 14
Number	Length (I)	а	b	Weight	Length (I)	а	b	Weight
922-410-02A	12"	7/8"	6 3/8"	0.496	300 mm	22 mm	160 mm	0.225
922-410-04A	16"	1"	12"	1.301	400 mm	26 mm	300 mm	0.590









## Wedge Flange

Item		Stan	dard			Me	tric	
Number	Lamenth (I)	Measu	rement	10/a:a:b4	Lawath (I)	Measurement		10/a ! a la 4
Number	Length (I)	а	b	Weight	Length (I)	а	b	Weight
923-510-02A	3 3/16"	1/4"	1/2"	0.051	80 mm	6 mm	13 mm	0.023
923-510-04A	4"	3/8"	2"	0.408	100 mm	10 mm	50 mm	0.185
923-510-06A	5 3/8"	11/16"	2	1.003	135 mm	18 mm	50 mm	0.455
923-510-08A	6"	3/8"	1 9/16"	0.397	150 mm	8 mm	40 mm	0.180
923-510-10A	6"	3/8"	1"	0.247	150 mm	8 mm	25 mm	0.112
923-510-12A	6"	1/2"	1"	0.408	150 mm	13 mm	25 mm	0.185
923-510-14A	6"	1/2"	2"	0.805	150 mm	13 mm	50 mm	0.365
923-510-16A	7"	1/2"	1 1/4"	0.617	180 mm	13 mm	32 mm	0.280
923-510-18A	7"	3/4"	2"	1.411	180 mm	19 mm	50 mm	0.640
923-510-20A	8"	1 1/8"	3/4"	0.994	200 mm	30 mm	20 mm	0.451
923-510-22A	8"	1 1/8"	1 1/8"	1.488	200 mm	30 mm	30 mm	0.675
923-510-24A	8"	1 9/16"	1 9/16"	2.646	200 mm	40 mm	40 mm	1.200
923-510-26A	8"	7/16"	2"	0.992	200 mm	12 mm	50 mm	0.450
923-510-28A	9"	3/4"	1 9/16"	1.521	230 mm	20 mm	40 mm	0.690
923-510-30A	10"	1 1/8"	1 9/16"	2.480	250 mm	30 mm	40 mm	1.125
923-510-32A	12"	1 9/16"	2"	4.961	300 mm	40 mm	50 mm	2.250




### **Knife Putty Narrow**

Item		Stan	dard		Metric				
Number			rement	Mainlet	Lamenth (I)	Measu	rement	107	
Number	Length (I)	а	b	Weight	Length (I)	а	b	Weight	
920-310-02A	8"	1"	3 3/4"	0.198	200 mm	25 mm	95 mm	0.090	
920-310-04A	8"	1 9/16"	3 3/4"	0.254	200 mm	40 mm	95 mm	0.115	
920-310-06A	8"	2"	3 3/4"	0.265	200 mm	50 mm	95 mm	0.120	
920-310-08A	8"	2 1/2"	3 3/4"	0.276	200 mm	65 mm	95 mm	0.125	




# **Knife Putty Wide**

Item	Standard				Metric			
		Measu	rement	W-!	I 41- //\	Measu	rement	10/-!
Number	Length (I)	а	b	Weight	Length (I)	а	b	Weight
920-410-02A	8"	3"	3 3/4"	0.364	200 mm	75 mm	95 mm	0.165
920-410-04A	8"	4"	3 3/4"	0.430	200 mm	100 mm	95 mm	0.195
920-410-06A	10"	6"	5 3/4"	0.683	250 mm	150 mm	145 mm	0.310



# Spatula

Item			Metric						
Number	r 1		rement	M-1-1-6	1 (I)	Measu	rement	M-!	
Number	Length (I)	а	b	Weight	Length (I)	а	b	Weight	
920-4A1-02A	7 5/8"	1 1/8"	3 1/2"	0.176	195 mm	30 mm	90 mm	0.080	
920-4A1-04A	8 1/4"	2"	4 1/8"	0.243	210 mm	50 mm	105 mm	0.110	
920-4A1-06A	8 7/8"	3 1/2"	4 3/4"	0.320	225 mm	90 mm	120 mm	0.145	









# **Caulking Tool Hand**

Item		Stan	dard		Metric			
Number	Length (I)	Width (a)	Height (b)	Weight	Length (I)	Width (a)	Height (b)	Weight
923-410-02A	8"	3/4"	3/16"	1.003	200 mm	20 mm	5 mm	0.455
923-410-02A	10"	3/4"	5/16"	1.290	250 mm	20 mm	8 mm	0.585




### **Caulking Tool Long**

Item		Standard		Metric			
Number	Length (I)	Profile (s)	Weight	Length (I)	Profile (s)	Weight	
923-4A1-02A	48"	2"	37.149	1200 mm	50 mm	16.850	




#### **Knife Common**

Item		Standard		Metric			
Number			Weight Length (I)		Blade (b)	Weight	
920-210-02A	7 1/4"	3 3/16"	0.231	185 mm	80 mm	0.105	
920-210-04A	9 7/8"	5 11/16"	0.276	250 mm	145 mm	0.125	



#### **Knife Electrician**

Item Number		Standard		Metric			
	Length (I)	Blade (b)	Weight	Length (I)	Blade (b)	Weight	
920-4B1-02A	4 1/2"	2 3/8"	0.408	113 mm	61 mm	0.185	



#### File Flat\*

Item		Standard		Metric			
Number	Length (b)	Width (a)	Weight	Length (b)	Width (a)	Weight	
921-710-02B	6"	5/8"	0.165	150 mm	16 mm	0.075	
921-710-04B	8"	13/16"	0.353	200 mm	21 mm	0.160	
921-710-06B	10"	1"	0.622	250 mm	25 mm	0.282	
921-710-08B	12"	1 1/8"	1.003	300 mm	30 mm	0.455	
921-710-10B	14"	1 1/4"	1.488	350 mm	32 mm	0.675	
921-710-12B	16"	1 1/4"	2.039	400 mm	32 mm	0.925	






<sup>\*</sup>Only Available in Beryllium Copper at this time




## File Half Round\*

Item		Standard		Metric			
Number	Length (b)	Width (a)	Weight	Length (b)	Width (a)	Weight	
921-810-02B	6"	7/8"	0.231	150 mm	22 mm	0.105	
921-810-04B	8"	15/16"	0.419	200 mm	23 mm	0.190	
921-810-06B	10"	1"	0.562	250 mm	26 mm	0.255	
921-810-08B	12"	1 1/16"	0.827	300 mm	28 mm	0.375	
921-810-10B	14"	1 1/8"	1.246	350 mm	30 mm	0.565	



### File Round\*

Item		Standard		Metric			
Number	Length (b)	Diameter (a)	Weight	Length (b)	Diameter (a)	Weight	
921-910-02B	6"	1/4"	0.099	150 mm	6.5 mm	0.045	
921-910-04B	8"	9/32"	0.201	200 mm	7.5 mm	0.091	
921-910-06B	10"	5/16"	0.269	250 mm	8.5 mm	0.122	
921-910-08B	12"	3/8"	0.397	300 mm	9.5 mm	0.180	
921-910-10B	14"	7/16"	0.551	350 mm	10.5 mm	0.250	
921-710-12B	16"	1 1/4"	2.039	400 mm	32 mm	0.925	



### **Drift Pin Straight Type**

Item		Standard			Metric	
Number	Length (I)	Diameter (a)	Weight	Length (I)	Diameter (a)	Weight
922-2E1-02A	6"	5/16"	0.260	150 mm	8 mm	0.118
922-2E1-04A	6"	3/8"	0.309	150 mm	10 mm	0.140
922-2E1-06A	6"	1/2"	0.419	150 mm	12 mm	0.190
922-2E1-08A	8"	9/16"	0.838	200 mm	14 mm	0.380
922-2E1-10A	8"	19/32"	0.860	200 mm	15 mm	0.390
922-2E1-12A	8"	5/8"	0.959	200 mm	16 mm	0.435
922-2E1-14A	8"	21/32"	1.191	200 mm	17 mm	0.540
922-2E1-16A	10"	11/16"	1.235	250 mm	18 mm	0.560
922-2E1-18A	10"	3/4"	1.720	250 mm	19 mm	0.780
922-2E1-20A	10"	25/32"	1.742	250 mm	20 mm	0.790
922-2E1-22A	10"	13/16"	1.951	250 mm	21 mm	0.885
922-2E1-24A	10"	7/8"	2.028	250 mm	22 mm	0.920
922-2E1-26A	10"	15/16"	2.535	250 mm	24 mm	1.150
922-2E1-28A	10"	1"	2.580	250 mm	25 mm	1.170
922-2E1-30A	10"	1 1/32"	2.756	250 mm 26 mm		1.250
922-2E1-32A	12"	1 1/16"	3.902	300 mm	27 mm	1.770



### **Punch Pin**

Item		Stan	dard		Metric						
Number	L (I)	Diameters		W-!	1 (N	Diameters		W			
Number	Length (I)	а	b	Weight	Length (I)	а	b	Weight			
922-3B1-02A	4 7/16"	1/8"	11/32"	0.033	110 mm	3 mm	9 mm	0.015			
922-3B1-04A	4 7/16"	5/32"	3/8"	0.110	110 mm	4 mm	10 mm	0.050			
922-3B1-06A	4 1/2"	1/4"	1/2"	0.209	115 mm	6 mm	12 mm	0.095			
922-3B1-08A	4 3/4"	5/16"	9/16"	0.254	120 mm	8 mm	14 mm	0.115			
922-3B1-10A	5 3/4"	3/8"	5/8"	0.397	145 mm	10 mm	16 mm	0.180			
922-3B1-12A	6 1/4"	1/2"	11/16"	0.573	160 mm	12 mm	18 mm	0.260			
922-3B1-14A	7"	9/16"	3/4"	0.838	180 mm	14 mm	20 mm	0.380			
922-3B1-16A	8"	5/8"	15/16"	1.323	200 mm	16 mm	24 mm	0.600			
922-3B1-18A	10"	11/16"	1 1/8"	2.117	225 mm	18 mm	30 mm	0.960			
922-3B1-20A	10"	3/4"	1 1/4"	2.447	225 mm	20 mm	32 mm	1.110			





<sup>\*</sup>Only Available in Beryllium Copper at this time

<sup>\*</sup>Only Available in Beryllium Copper at this time




# **Marking Tool (Scriber)**

Standard					Metric			
Item Number	Length (I1)	Length (I2)	Dia (a)	Weight	Length (I1)	Length (I2)	Dia (a)	Weight
926-810-02A	7 3/8"	1 1/4"	5/32"	0.022	187 mm	32 mm	4 mm	0.010
926-810-04A	10"	1 21/32"	5/32"	0.033	252 mm	42 mm	4 mm	0.015




### Awl

lt		Stan	dard		Metric			
Item Number	Length (I)	Blade (b)	Dia (d)	Weight	Length (I)	Blade (b)	Dia (d)	Weight
926-910-02A	8"	4"	1/8"	0.099	200 mm	100 mm	3 mm	0.045



### **Punch**

Item		Stan	dard		Metric			
Number	Lamenth (I)	Diam	neters		Lamenth (I)	Diameters		Mainht.
Number	Length (I)	а	b	Weight	Length (I)	а	b	Weight
922-3C1-05A	6"	3/16"	7/16"	0.209	150 mm	5 mm	11 mm	0.095
922-3C1-06A	6"	1/4"	1/2"	0.254	150 mm	6 mm	12 mm	0.115
922-3C1-07A	6"	9/32"	1/2"	0.298	150 mm	7 mm	13 mm	0.135
922-3C1-08A	6"	5/16"	9/16"	0.331	150 mm	8 mm	14 mm	0.150
922-3C1-10A	7"	3/8"	5/8"	0.507	175 mm	10 mm	16 mm	0.230
922-3C1-12A	7"	1/2"	11/16"	0.661	175 mm	12 mm	18 mm	0.300
922-3C1-14A	10"	1/2"	1 5/32"	2.337	255 mm	13 mm	29 mm	1.060



### **Punch Center**

Item		Standard		Metric			
Number	Length (I)	Diameter (d)	Weight	Length (I)	Diameter (d)	Weight	
923-610-02A	4"	5/8"	0.276	100 mm	16 mm	0.125	
923-610-04A	6"	5/8"	0.452	150 mm	16 mm	0.205	
923-610-06A	8"	11/16"	0.750	200 mm	18 mm	0.340	
923-610-08A	12"	11/16"	1.191	300 mm	18 mm	0.540	
923-610-10A	16"	11/16"	1.631	400 mm	18 mm	0.740	
923-610-12A	20"	3/4"	2.430	500 mm	20 mm	1.102	
923-610-14A	20"	1 1/8"	5.468	500 mm	30 mm	2.480	



#### **Punch Machinist**

Item		Standard		Metric							
Number	Length (I)	Diameter (d)	Weight	Length (I)	Diameter (d)	Weight					
922-3D1-02A	6 1/4"	11/16"	0.584	160 mm	18 mm	0.265					
922-3D1-04A	10"	11/16"	0.937	250 mm	18 mm	0.425					
922-3D1-06A	12"	11/16"	1.202	300 mm	18 mm	0.545					
922-3D1-08A	12"	3/4"	1.400	300 mm	20 mm	0.635					
922-3D1-10A	12"	1"	2.194	300 mm	25 mm	0.995					
922-3D1-12A	16"	11/16"	1.598	400 mm	18 mm	0.725					
922-3D1-14A	16"	3/4"	1.951	400 mm	20 mm	0.885					









### Chisel

ltem		Standard		Metric			
Number	Length (I)	Width (b)	Weight	Length (I)	Width (b)	Weight	
929-710-02A	6 1/4"	9/16" width	0.353	160 mm	14 mm width	0.160	




### **Chisel Flat**

Item		Standard		Metric			
Number	Length (I)	Width (a)	Weight	Length (I)	Width (a)	Weight	
922-5C1-02A	6"	7/8"	0.452	150 mm	22 mm	0.205	
922-5C1-04A	8"	7/8"	0.617	200 mm	22 mm	0.280	
922-5C1-06A	10"	15/16"	0.970	250 mm	24 mm	0.440	
922-5C1-08A	12"	1"	1.543	300 mm	25 mm	0.700	
922-5C1-10A	16"	1 1/16"	2.425	400 mm	27 mm	1.100	




### **Chisel Flat Round**

Item		Stan	dard			Me	tric	
Number	Length (I)	Width (a)	S	Weight	Length (I)	Width (a)	S	Weight
923-110-02A	6 1/4"	1/2"	1/2"	0.353	160 mm	14 mm	14 mm	0.160
923-110-04A	6 1/4"	5/8"	5/8"	0.463	160 mm	16 mm	16 mm	0.210
923-110-06A	6 1/4"	11/16"	11/16"	0.597	160 mm	18 mm	18 mm	0.271
923-110-08A	8"	11/16"	11/16"	0.754	200 mm	18 mm	18 mm	0.342
923-110-10A	8"	3/4"	3/4"	0.948	200 mm	20 mm	20 mm	0.430
923-110-12A	10"	15/16"	15/16"	1.656	250 mm	24 mm	24 mm	0.751
923-110-14A	12"	15/16"	15/16"	2.077	300 mm	24 mm	24 mm	0.942
923-110-16A	12"	1"	1"	2.209	300 mm	25 mm	25 mm	1.002
923-110-18A	16"	1"	1"	2.998	400 mm	25 mm	25 mm	1.360
923-110-20A	20"	1"	1"	3.814	500 mm	25 mm	25 mm	1.730
923-110-22A	20"	1 1/8"	1 1/8"	5.470	500 mm	30 mm	30 mm	2.481



# **Chisel 6 Point (Hex)**

Omoci .	omser or our (riex)												
Item		Stan	dard		Metric								
Number	Length (I)	Width (a)	S	Weight	Length (I)	Width (a)	S	Weight					
923-210-10A	6"	7/16"	3/8"	0.203	150 mm	12 mm	10 mm	0.092					
923-210-12A	8"	5/8"	1/2"	0.509	200 mm	16 mm	14 mm	0.231					
923-210-14A	6 1/4"	11/16"	5/8"	0.534	160 mm	18 mm	16 mm	0.242					
923-210-16A	10"	5/8'	1/2"	0.666	250 mm	16 mm	14 mm	0.302					
923-210-18A	12"	3/4"	21/32"	1.545	300 mm	19 mm	17 mm	0.701					
923-210-20A	14"	3/4"	21/32"	1.810	350 mm	19 mm	17 mm	0.821					
923-210-22A	24"	1"	7/8"	3.752	600 mm	24 mm	22 mm	1.702					
923-210-24A	12"	1 1/8"	1"	2.403	300 mm	28 mm	25 mm	1.090					
923-210-26A	20"	1 3/8"	1 1/8"	5.776	500 mm	35 mm	30 mm	2.620					








### **Chisel 8 Point**

Item		Stan	dard		Metric					
Number	Length (I)	Width (a)	S	Weight	Length (I)	Width (a)	S	Weight		
923-310-12A	6 1/4"	1/2"	1/2"	0.375	160 mm	14 mm	14 mm	0.170		
923-310-14A	6 1/4"	5/8"	5/8"	0.507	160 mm	16 mm	16 mm	0.230		
923-310-16A	7"	3/4"	3/4"	0.807	180 mm	19 mm	19 mm	0.366		
923-310-18A	8"	3/4"	3/4"	0.906	200 mm	19 mm	19 mm	0.411		
923-310-20A	8"	7/8"	7/8"	1.239	200 mm	22 mm	22 mm	0.562		
923-310-22A	10"	1"	1"	1.746	250 mm	24 mm	24 mm	0.792		
923-310-24A	12"	1"	1"	2.094	300 mm	24 mm	24 mm	0.950		
923-310-26A	12"	1 1/8"	1 1/8"	3.197	300 mm	30 mm	30 mm	1.450		
923-310-28A	16"	1 1/16"	1 1/16"	3.572	400 mm	27 mm	27 mm	1.620		



### **Chisel Cross Cutting (Cape)**

Item Number		Stan	dard		Metric			
	Length (I)	Width	Height (a)	Weight	Length (I)	Width	Height (a)	Weight
922-5A1-02A	5 1/2"	5/32"	5/32"	0.562	140 mm	4 mm	4 mm	0.255
922-5A1-04A	8"	5/32"	5/32"	0.959	200 mm	4 mm	4 mm	0.435
922-5A1-06A	12"	3/16"	3/16"	1.676	300 mm	5 mm	5 mm	0.760




## **Chisel 8 Point Cross**

Item Number		Stan	dard		Metric			
	Length (I)	Width (s)	Height (h)	Weight	Length (I)	Width (s)	Height	Weight
922-510-02A	8"	3/4"	5/16"	0.952	200 mm	20 mm	8 mm	0.432



# Chisel Pneumatic - Scaling (3/8" Shaft)

Item		Stan	dard		Metric			
Number	Length (I)	Width (b)	Height (h)	Weight	Length (I)	Width (b)	Height (h)	Weight
922-710-02A	5"	3/4"	1/16"	0.913	125 mm	20 mm	2 mm	0.414
922-710-04A	7"	3/4"	1/16"	0.401	.401 175 mm 20 mm 2			0.182



### Chisel Pneumatic - Bull Point (3/8" Shaft)

				,		<u>,                                      </u>	
Item		Standard		Metric			
Number	Length (I)	Diameter (d)	Weight	Length (I)	Diameter (d)	Weight	
922-610-02A	5"	1/2"	0.225	125 mm	12 mm	0.102	
922-610-04A	7"	1/2"	0.315	175 mm	12 mm	0.143	









## Chisel Pneumatic - Spot Weld Breaker (3/8" Shaft)

Item		Standard		Metric			
Number	Length (I)	Width (b)	Weight	Length (I)	Width (b)	Weight	
922-810-02A	5"	3/8" x 3/4"	0.258	125 mm	10 mm x 20 mm	0.117	
922-810-04A	7"	3/8" x 3/4"	0.269	175 mm	10 mm x 20 mm	0.122	




## Chisel Pneumatic - Sheet Metal A (3/8" Shaft)

Item		Stan	dard		Metric			
Number	Length (I)	Width (b)	Height (h)	Weight	Length (I)	Width (b)	Height (h)	Weight
923-010-02A	5"	3/4"	1/16"	0.247	125 mm	20 mm	2 mm	0.112
923-010-04A	7"	3/4"	1/16"	0.337	175 mm	20 mm	2 mm	0.153



## Chisel Pneumatic - Sheet Metal B (3/8" Shaft)

Item		Stan	dard		Metric				
Number	Length (I)	Width (b)	Height (h)	Weight	Length (I)	Width (b)	Height (h)	Weight	
922-910-02A	5"	3/4"	1/16"	0.313	125 mm	20 mm	2 mm	0.142	
922-910-04A	7"	3/4"	1/16"	0.403	175 mm	20 mm	2 mm	0.183	



### **Needle Scaler Long**

Item		Standard		Metric						
Number	Length (I)	Diameter (d)	Weight	Length (I)	Diameter (d)	Weight				
923-810-02A	10"	1/4"	0.165	250 mm	6 mm	0.075				
923-810-04A	12"	5/16"	0.298	300 mm	8 mm	0.135				
923-810-06A	16"	9/32"	0.320	400 mm	7 mm	0.145				
923-810-08A	20"	3/8"	0.672	500 mm	10 mm	0.305				



### **Needle Scaler with Ball**

Ite	Item		Standard		Metric				
-	mber	Length (I)	Diameter (d)	Weight	Length (I)	Diameter (d)	Weight		
923-8	A1-02A	20"	1/4"	0.254	500 mm	6 mm	0.115		



#### **Needle Scaler**

Item		Standard		Metric			
Number	Length (I)	Diameter (d)	Weight	Length (I)	Diameter (d)	Weight	
923-8B1-02B	7"	1/8"	0.026	180 mm	3 mm	0.012	

<sup>\*</sup>Only Available in Beryllium Copper at this time



